



United States
Department of
Agriculture


Agricultural
Marketing
Service

TOB-FL-26


Washington, D.C.
April 1983

Tobacco Market Review

Flue-Cured, 1982 Crop



Flue-Cured Tobacco Auction Markets and Marketing Areas



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

Contents

	<u>Page</u>
Review of the 1982 marketing season	4
Summary of flue-cured tobacco grades	5

Tables

Table

1. Allotted sales opportunities compared to producers' sales, 1982 crop	6
2. Initial and final designation of the 1982 crop	7
3. Opening and closing dates; and number of warehouse firms by types, states, and markets	8-9
4. Movement of tobacco across state lines	10
5. Producers' sales, value, and average price by types and crop years	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types and crop years	11
7. Producers' sales, value, and average price by markets	12-13
8. Gross sales, value, and average price by markets	14-15
9. Resales, average price, and percentage of gross sales by types and markets	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 1982 crop	18
11. Season average prices and support rates by individual grades, per 100 pounds	19-21
12. Average prices by weeks for representative grades and season averages--Type 11	22-23
13. Average prices by weeks for representative grades and season averages--Type 12	24-25
14. Average prices by weeks for representative grades and season averages--Type 13	26-27
15. Average prices by weeks for representative grades and season averages--Type 14	28
16. Warehouse charges by states, 1982 crop	29
17. Average weight per lot, 1977-82 crops	29
18. Tobacco received by the Stabilization Corporation, 1980-82 crops	29
19. Percentage distribution by groups and types, 1978-82 crops	30
20. Percentage distribution by qualities and types, 1978-82 crops	30
21. Percentage distribution by colors and types, 1978-82 crops	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1978-82 crops	31
23. Percentage distribution by grades and types, 1982 crop	32-33
24. Breakdown of marketings by selected groupings, 1982 crop	33
25. Percentage distribution by grades for all types, 1980-82 crops	34-35
26. Average price by grade groups and types	35

Review of the 1982 Marketing Season

A light demand resulted in sharply higher loan receipts for the 1982 flue-cured crop. Both total volume and total value were down from 1981, and unfavorable climatic conditions in many areas produced thinner than normal tobacco. Buyers appeared to be fairly price sensitive, as much of the tobacco under loan was in grades supported from \$194 to \$207 per hundred. Openings were delayed, awaiting legislation to hold down the increase in support prices to sixty-five percent of the calculated increase. Markets opened with full sales and maintained a consistent volume until late in the season. Due to marketing holidays the past two seasons, producers' sales allowed each week were lowered from 85 million to 80 million pounds. An official carryover program to handle excess tobacco was operated through the Flue-Cured Stabilization Corporation. Three days of early sales (July 21-23) were allowed in North Carolina and Virginia to sell excess tobacco from the 1981 crop.

Sales and averages. Producers received an average price of \$178.54 per hundred for the 1982 crop—an increase of \$12.14 from 1981. Net sales at auction of 986.9 million pounds were down 13.6 percent from last season. Net value of \$1,761.9 million dropped 7.3 percent from the record value of \$1,899.9 million received for the 1981 crop.

Grade averages. Averages in most groups showed substantial gains over 1981 levels. However, much of the increase was due to higher support prices. This was especially true in higher supported grades, as most of these averaged at, or just a few dollars over, their support level. Ripe grades of leaf and cutters gained mostly \$10 to \$17 with unripe grades up \$3 to \$10 per hundred. Higher supported lugs were up \$14 to \$19, but most of these averaged their support level. Other lugs increased \$1 to \$6 per hundred. Primings showed a definite downward trend, with most dropping \$3 to \$10. Supported grades of nondescript were \$9 to \$17 higher than 1981 with other nondescript ranging from \$3 lower to \$12 above last season. The practical top price for the flue-cured area was \$205 per hundred in 1982 compared to \$190 in 1981.

Composition of offerings. Other than the overall crop being thinner than normal, quality for 1982 showed improvement. A substantial decline in nondescript occurred while much more tobacco placed in the cutter group. Percentages by groups were: leaf 57; cutters 14; lugs 15; primings 9; nondescript 3; others made up 2 percent of sales. Tobacco grading good quality or better increased to 15 percent of auctions, fair quality was up to 58 percent, low and poor declined to 22 percent and 2 percent respectively. Maturity continued to show slow improvement. Mature to mellow tobacco increased to 48 percent while unripe and immature declined to 49 percent of sales. The three heaviest volume grades and their percentages were: B4KM (11.6); B4KF (6.6) and B4K (5.3). Rounding out the top ten grades were: C4KM (5.0); B3KM (3.9); B4F (3.8); B5K (3.6); B5KF (3.1); X4KM (2.8); and B5KM (2.8). These ten grades made up 48.5 percent of all flue-cured sales in 1982.

Stabilization receipts. The Flue-Cured Stabilization Corporation received 26.2 percent of net sales for the 1982 crop. This was the highest percentage of a crop ever received by the Corporation. A total of 258.9 million pounds was placed under loan this season compared to 105.9 million for the 1981 season. Percentages of loan receipts by groups follow:

Group	1982	1981
Leaf (B)	46.7	66.2
Smoking Leaf (H)	0.5	0.5
Cutters (C)	26.6	10.1
Lugs (X)	22.5	22.5
Primings (P)	3.7	0.4
Nondescript (N)	*	0.3

* Less than one-tenth of one percent.

Loan rates. Loan rates by grades for the 1982 crop reflected an average support level of \$1.699 per pound, up 11.2 cents from the 1981 mark of \$1.587. Legislative changes allowed the Secretary of Agriculture to limit the increase in support prices to as little as 65 percent of the calculated increase. This was invoked for the 1982 crop, resulting in the level of \$1.699 instead of \$1.759 had 100 percent of the increase been allowed.

Marketing Regulations. Auctions again operated under the grower designation plan. Several changes were required by the 1981 Omnibus Budget Act. Beginning October 1, 1981, a user fee of 45 cents per hundred was charged for grading services of the Tobacco Division, USDA. In July 1982, this fee was raised to 55 cents per hundred. Prior to these fees, grading had been free and mandatory since the inception of the program. Starting with the 1982 crop, growers were asked to contribute to a "no net cost tobacco account", as authorized by Congressional legislation. The assessment for the 1982 crop was 3 cents per pound. Those who did not contribute were ineligible for price support services. The Stabilization Corporation was also authorized to increase its deduction for overhead cost. However, the Corporation kept the deduction at 1 cent per pound, the same as in prior years.

Early sales. Three days of early auctions (July 21-23) were allowed in Marketing Areas C, D, and E of North Carolina and Virginia, to sell excess tobacco from the 1981 crop. These sales grossed 13,907,244 pounds returning \$172.86 per hundred, with resales of 144,497 pounds. Since these auction sales counted against the 1982 quota, all gross sales, producers' sales, and resales tables in this review include tobacco sold on these special sales. All tables showing grade averages, distribution by grades, quality or color, and opening dates - number of sales days, do not reflect data from these early sales.

Preliminary 1983 quota. The basic quota for 1983 has been reduced to 910 million pounds (10 percent reduction). Due to net overmarketings of about 17.5 million pounds, the 1983 effective quota is projected at 892 million pounds, 86 million below 1982.

1982 Carryover tobacco. The Flue-Cured Stabilization Corporation operated an official carryover program for tobacco in excess of 110 percent of the effective quota. Through this program, the Corporation received 37.2 million pounds that will be offered for sale in July 1983. These 37.2 million pounds will be applied against the 1983 effective quota of 892 million pounds.

SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

Key to standard trademarks for flue-cured tobacco

<u>Groups</u>	<u>Qualities</u>	<u>Color symbols</u>		<u>Combination symbols</u>
A - Wrappers	1 - Choice	L - Lemon	V - Greenish	XL - Lug side
B - Leaf	2 - Fine	F - Orange	GR - Green red	PO - Oxidized primings
H - Smoking leaf	3 - Good	FR - Orange red	GK - Green variegated	XO - Oxidized lugs or cutters
C - Cutters	4 - Fair	R - Red	GG - Gray green	BO - Oxidized leaf
X - Lugs	5 - Low	K - Variegated	KL - Variegated lemon	GL - Thin-bodied
P - Primings	6 - Poor	KR - Variegated red or scorched	KF - Variegated orange	nondescript
M - Mixed		G - Green	KV - Variegated greenish	GF - Medium-bodied
N - Nondescript			KM - Variegated mixed	nondescript
S - Scrap				

Special factor

W - Wet
U - Unsound
Sand or Dirt

Special symbol

S - Slick

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side.

Individual flue-cured grades

<u>2 Grades of Wrappers:</u>	<u>Leaf--Continued:</u>	<u>17 Grades of Cutters:</u>	<u>Lugs--Continued:</u>
A1L	B5KL	C1L	X4GK
A1F	B6KL	C2L	X4G
	B3KF	C3L	X5G
<u>56 Grades of Leaf:</u>	<u>B4KF</u>	<u>C4L</u>	
B1L	B5KF	C5L	<u>10 Grades of Primings:</u>
B2L	B6KF	C1F	P2L
B3L	B4KV	C2F	P3L
B4L	B5KV	C3F	P4L
B5L	B6KV	C4F	P5L
B6L	B3KM	C5F	P2F
B1F	B4KM	C4KR	P3F
B2F	B5KM	C4V	P4F
B3F	B6KM	C4S	P5F
B4F	B4G	C4KL	P4G
B5F	B5G	C4KM	P5G
B6F	B6G	C4G	
B1FR	B5GR	C4GK	
B2FR	B4GK		<u>7 Grades of Mixed:</u>
B3FR	B5GK		M4F
B4FR	B6GK	X1L	M5F
B5FR	B5GG	X2L	M4KR
B6FR		X3L	M4KM
B4R			M5KM
<u>16 Grades of Smoking Leaf:</u>			M4GK
B5R	H3L	X5L	M5GK
B3K	H4L	X1F	
B4K	H5L	X2F	<u>13 Grades of Nondescript:</u>
B5K	H6L	X3F	N1L
B6K	H1F	X4F	N1KL
B3KR	H2F	X5F	N1K
B4KR	H3F	X3KR	N1R
B5KR	H4F	X4KR	N1GL
B3V	H5F	X3V	N1GF
B4V	H6F	X4V	N1KV
B5V	H4FR	X3S	N1GR
B3S	H5FR	X4KL	N1GG
B4S	H6FR	X4KF	N1PO
B5S	H4K	X4KV	N1XO
B3KL	H5K	X3KM	N1BO
B4KL	H6K	X4KM	N2

1/ Tobacco not covered by the standard grades is designated "NO-G", "NOG-F" or "NOG-N"

Table 1.—Allotted sales opportunities compared to producers' sales, 1982 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D		Marketing area E		Total flue-cured 2/					
	Sets of buyers	Sales Prod.	Sets of buyers	Sales Prod.	Sets of buyers	Sales Prod.	Sets of buyers	Sales Prod.	Sets of buyers	Sales Prod.	Sets of buyers	Sales Prod.				
1,000 pounds																
July 23	16	17,139	16,507								16	17,139	16,507			
July 29	16	22,810	22,335	21	31,434	27,802	26	25,784	25,546		63	80,028	75,683			
Aug. 05	16	18,959	18,933	21	25,908	23,897	26	31,858	31,767	4	3,872		66	80,602	78,469	
Aug. 12	9	11,111	11,099	14	18,091	18,124	26	33,277	33,297	4	4,706	4,686	13	12,505	13,146	
Aug. 19	9	10,524	10,621	14	17,458	17,312	26	31,551	31,533	4	4,081	4,093	13	15,972	16,248	
Aug. 26	9	10,584	10,656	14	17,597	17,544	26	31,555	31,535	4	4,081	4,087	13	16,288	16,191	
Sep. 02	9	10,651	10,635	14	17,475	17,370	26	31,555	31,457	4	4,411	4,407	13	15,986	16,032	
Sep. 09	9	7,971	8,245	14	13,271	13,345	26	23,699	23,946	4	3,131	3,136	13	12,201	12,352	
Sep. 16	9	10,652	10,251	14	17,690	17,583	26	31,392	31,409	4	4,108	4,103	13	16,387	16,390	
Sep. 23	9 3/	7,062	7,062	14	17,931	17,998	26	31,490	31,705	4	4,108	4,106	13	16,410	16,763	
Sep. 30	1 3/	84	84	14	20,198	20,188	26	36,121	35,967	4	5,075	5,047	13	18,403	18,310	
Oct. 07	Closed			14	20,435	14,563	29	36,339	36,290	4	4,866	4,862	17	18,769	19,353	
Oct. 14	1 3/	1,840	1,840	29	33,526	32,404	4	4,470	3,939	17	17,443	16,475	51	57,279	54,658	
Oct. 21				Closed	29	45,852	18,209	4	6,200	3,388	17	24,417	20,964	50	76,469	42,561
Oct. 28	5 3/	636	636		4 3/	1,184	1,184	13 3/	8,865	8,865	22	10,685	10,685			
Nov. 04				Closed			Closed		4 3/	1,084	1,084	4	1,084	1,084		
	Closed Sep. 30, 1982	Closed Oct. 14, 1982	Closed Oct. 26, 1982	Closed Oct. 26, 1982	Closed Nov. 3, 1982											

1/ Based on grower designation. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Producers' sales derived from weekly market news reports.

3/ Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

Table 2.—Initial and final designation of the 1982 crop 1/

Marketing area A			Marketing area C		
Market	Initial	Final	Market	Initial	Final
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Adel	2,924,659	2,913,557	Aberdeen	6,174,882	6,080,872
Alma	5,750,585	6,075,769	Ahoskie	7,722,562	7,265,345
Baxley	2,794,752	3,510,126	Carthage	8,560,083	8,298,098
Blackshear	8,026,130	8,145,259	Clinton	18,567,341	18,692,092
Claxton	5,624,125	7,257,875	Dunn	12,411,609	11,952,597
Douglas	13,220,698	13,738,336	Farmville	27,148,579	27,742,776
Fitzgerald	3,320,705	3,411,138	Fuquay-Varina	20,899,074	19,569,612
Hahira	3,966,820	3,991,948	Goldsboro	35,162,240	36,463,395
Hazlehurst	3,874,954	3,707,349	Greenville	43,318,409	43,784,814
Metter	2,272,009	2,808,072	Kinston	44,350,132	44,904,782
Moultrie	14,355,352	14,456,264	Robersonville	7,196,244	6,945,423
Nashville	9,340,395	9,511,601	Rocky Mount	26,350,981	25,422,255
Pelham	3,714,076	3,902,534	Sanford	12,439,301	11,007,323
Statesboro	3,873,690	3,769,100	Smithfield	22,080,460	22,168,577
Thomasville	2,574,426	2,659,170	Tarboro	3,320,627	3,205,461
Tifton	6,872,760	7,135,087	Wallace	12,009,086	11,958,073
Valdosta	7,922,870	7,791,875	Washington	4,935,303	4,270,607
Vidalia	8,363,998	10,249,938	Wendell	7,391,511	6,990,400
Waycross	2,798,627	2,393,747	Williamston	11,599,256	11,647,389
Total Georgia	111,591,631	117,428,745	Wilson	77,747,669	77,404,324
			Windsor	11,021,203	10,497,038
Florida:			Total area C	420,406,552	416,271,253
High Springs	3,025,447	3,039,968	Marketing area D		
Jasper	1,589,923	1,369,963	North Carolina:		
Lake City	5,021,252	5,112,744	Durham	12,604,707	12,849,480
Live Oak	10,494,890	10,722,399	Henderson	13,538,877	13,186,900
Madison	1,737,429	1,700,297	Louisburg	8,088,939	8,102,049
Total Florida	21,868,941	21,945,371	Oxford	14,763,039	14,044,994
Total area A	133,460,572	139,374,116	Warrenton	7,957,231	7,849,230
Marketing area B			Total area D	56,952,793	56,032,653
Marketing area E			Marketing area E		
South Carolina:			North Carolina:		
Conway	10,130,320	10,290,201	Burlington	4,280,931	4,350,466
Darlington	7,282,865	7,595,640	Greensboro	1,361,128	1,365,168
Dillon	925,553	750,114	Madison	4,866,294	4,726,497
Hemingway	9,032,669	8,979,507	Mebane	3,655,763	3,437,928
Kingstree	7,980,470	8,147,357	Mt. Airy	12,612,033	13,103,257
Lake City	34,857,784	36,295,848	Reidsville	18,702,759	18,380,680
Loris	7,867,725	7,837,396	Roxboro	15,265,562	15,144,403
Mullins	35,021,153	34,313,898	Stoneville	7,914,875	7,990,409
Pamplico	4,721,190	4,811,457	Winston-Salem	40,738,198	40,843,287
Timmonsville	8,135,927	8,518,483	Yadkinville	5,246,683	5,605,925
Total S.C.	125,955,656	127,539,901	Total N.C.	114,644,226	114,948,020
North Carolina:			Virginia:		
Chadbourn	13,892,808	14,149,203	Brookneal	6,850,776	6,712,421
Clarkton	6,458,747	7,679,137	Chase City	5,817,056	5,517,487
Fair Bluff	5,880,366	5,777,128	Clarksville	7,054,794	6,939,675
Fairmont	29,009,614	30,380,545	Danville	41,345,041	41,317,023
Lumberton	15,850,361	16,332,846	Kenbridge	3,725,266	3,543,406
Tabor City	12,780,452	12,808,837	Lawrenceville	6,512,558	6,594,091
Whiteville	15,409,556	16,106,078	Petersburg	4,046,266	4,214,413
Total N.C.	99,281,904	103,233,774	South Boston	17,498,717	16,793,176
Total area B	225,237,560	230,773,675	South Hill	8,922,637	8,600,913
			Total Virginia	101,773,111	100,232,605
			Total area E	216,417,337	215,180,625
			Total flue-cured	1,052,474,814	1,057,632,322

1/ Growers allowed to designate 110 percent of their effective quota.

Table 3.--Opening and closing dates; and number of warehouse firms by types, states, and markets

States and markets	Type 11 - Old and Middle Belt flue-cured				1981			
	1982				1981			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			<u>Number</u>	<u>Number</u>			<u>Number</u>	<u>Number</u>
Brookneal	Aug. 11	Oct. 28	23	4	Aug. 5	Nov. 12	27	4
Chase City	Aug. 10	Oct. 27	20	4	Aug. 4	Nov. 12	23	4
Clarksville	Aug. 10	Oct. 28	20	3	Aug. 4	Nov. 12	28	3
Danville	Aug. 10	Nov. 1	46	8	Aug. 4	Nov. 16	53	8
Kenbridge	Aug. 12	Oct. 27	13	3	Aug. 6	Nov. 10	15	3
Lawrenceville	Aug. 11	Oct. 28	21	2	Aug. 5	Nov. 12	27	2
Petersburg	Aug. 11	Oct. 27	15	2	Aug. 5	Nov. 10	17	2
South Boston	Aug. 10	Nov. 1	46	7	Aug. 4	Nov. 16	52	7
South Hill	Aug. 10	Nov. 1	27	4	Aug. 4	Nov. 16	31	4
Total Virginia			37				37	
North Carolina:								
Aberdeen	July 28	Oct. 18	22	2	July 23	Nov. 2	26	2
Burlington	Aug. 11	Oct. 26	16	2	Aug. 4	Nov. 4	20	2
Carthage	July 27	Oct. 19	25	4	July 22	Oct. 28	30	4
Durham	Aug. 3	Oct. 25	38	4	July 28	Nov. 5	48	4
Fuquay-Varina	July 27	Oct. 18	46	5	July 22	Oct. 29	52	5
Greensboro	Aug. 18	Oct. 14	5	1	Aug. 5	Nov. 4	12	1
Henderson	Aug. 3	Oct. 26	40	6	July 28	Nov. 5	48	6
Louisburg	Aug. 3	Oct. 27	25	3	July 29	Nov. 9	26	3
Madison	Aug. 11	Oct. 27	16	3	Aug. 5	Nov. 16	24	3
Mebane	Aug. 10	Oct. 19	12	1	Aug. 4	Nov. 5	18	1
Mt. Airy	Aug. 10	Oct. 28	35	4	Aug. 4	Nov. 12 2/	48	4
Oxford	Aug. 3	Oct. 27	40	5	July 28	Nov. 16	57	5
Reidsville	Aug. 10	Oct. 28	45	3	Aug. 4	Nov. 10 2/	51	3
Roxboro	Aug. 10	Nov. 1	44	6	Aug. 4	Nov. 16	52	6
Sanford	July 27	Oct. 20	37	4	July 22	Nov. 2	40	4
Stoneville	Aug. 10	Oct. 28	24	2	Aug. 4	Nov. 16	39	2
Warrenton	Aug. 4	Oct. 28	24	5	July 28	Nov. 10	29	5
Winston-Salem	Aug. 10	Oct. 28 1/	46	8	Aug. 4	Nov. 16 2/	53	8
Yadkinville	Aug. 11	Oct. 28	16	3	Aug. 5	Nov. 10	29	3
Total N.C.			71				71	
Total type 11			108				108	

Type 12 - Eastern North Carolina flue-cured								
North Carolina:	July 28	Oct. 21	23	2	July 23	Nov. 5	26	2
Ahoskie	July 28	Oct. 21	23	2	July 22	Oct. 29	51	6
Clinton	July 27	Oct. 21	49	6	July 22	Oct. 29	38	5
Dunn	July 27	Oct. 19	37	5	July 22	Nov. 2	53	6
Farmville	July 27	Oct. 21	49	6	July 22	Nov. 2	53	8
Goldsboro	July 27	Oct. 20	48	8	July 22	Nov. 2	53	10
Greenville	July 27	Oct. 25	50	10	July 22	Nov. 2	53	10
Kinston	July 27	Oct. 21	49	8	July 22	Oct. 28	51	8
Robersonville	July 27	Oct. 21	26	2	July 22	Nov. 2	28	2
Rocky Mount	July 27	Oct. 20	48	6	July 22	Nov. 2	53	6
Smithfield	July 27	Oct. 21	48	5	July 22	Oct. 29	52	5
Tarboro	July 28	Oct. 14	12	2	July 28	Oct. 29	14	2
Wallace	July 27	Oct. 20	38	4	July 22	Oct. 28	35	4
Washington	July 28	Oct. 20	23	2	July 23	Oct. 28	25	2
Wendell	July 28	Oct. 14	21	4	July 22	Oct. 29	30	4
Williamston	July 27	Oct. 20	37	3	July 22	Nov. 3	38	3
Wilson	July 27	Oct. 26	50	12	July 22	Nov. 4	55	12
Windsor	July 27	Oct. 18	36	2	July 22	Oct. 28	34	2
Total type 12			87				87	

Continued

See footnotes at end of table.

Table 3.--Opening and closing dates; and number of warehouse firms by types, states, and markets
--Continued

States and markets	Type 13 - South Carolina and Border North Carolina flue-cured							
	1982				1981			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
South Carolina:			<u>Number</u>	<u>Number</u>			<u>Number</u>	<u>Number</u>
Conway	July 26	Oct. 5	29	4	July 20	Oct. 21	33	4
Darlington	July 26	Oct. 12	23	4	July 20	Oct. 27	27	4
Dillon	Aug. 3	Sep. 28	5	1	July 23	Oct. 21	12	1
Hemingway	July 26	Oct. 6	25	3	July 20	Oct. 22	29	3
Kingstree	July 26	Oct. 7	25	4	July 20	Oct. 28	29	4
Lake City	July 26	Oct. 14	46	8	July 20	Oct. 28	53	8
Loris	July 26	Oct. 6	23	3	July 20	Oct. 19	23	3
Mullins	July 26	Oct. 7	42	7	July 20	Oct. 22	50	7
Pamplico	July 27	Oct. 7	16	3	July 21	Oct. 21	20	3
Timmonsville	July 26	Oct. 14	27	3	July 20	Oct. 21	33	3
Total S.C.			40				40	
North Carolina:								
Chadbourn	July 26	Oct. 6	35	5	July 20	Oct. 21	43	5
Clarkton	July 26	Oct. 14	25	3	July 20	Oct. 27	20	3
Fair Bluff	July 27	Oct. 13	22	4	July 20	Oct. 21	21	4
Fairmont	July 26	Oct. 12	44	11	July 20	Oct. 28	52	11
Lumberton	July 26	Oct. 7	44	6	July 20	Oct. 27	49	6
Tabor City	July 26	Oct. 7	34	3	July 20	Oct. 21	45	3
Whiteville	July 26	Oct. 7	43	9	July 20	Oct. 22	44	9
Total N.C.			41				41	
Total type 13			81				81	
Type 14 - Georgia and Florida flue-cured								
Georgia:								
Adel	July 22	Sep. 22	9	2	July 15	Sep. 29	14	2
Alma	July 21	Sep. 21	18	2	July 14	Sep. 30	21	2
Baxley	July 22	Sep. 21	11	3	July 14	Sep. 30	15	3
Blackshear	July 21	Sep. 20	24	3	July 14	Oct. 1	27	3
Claxton	July 21	Sep. 16	22	1	July 14	Oct. 1	26	1
Douglas	July 21	Sep. 23	32	4	July 14	Oct. 1	38	4
Fitzgerald	July 22	Sep. 22	10	1	July 14	Sep. 28	15	1
Hahira	July 21	Sep. 20	12	1	July 14	Sep. 30	15	1
Hazlehurst	July 21	Sep. 13	12	2	July 15	Sep. 30	15	2
Metter	July 23	Sep. 15	8	1	July 15	Sep. 29	12	1
Moultrie	July 21	Sep. 27	39	3	July 14	Oct. 1	46	3
Nashville	July 21	Sep. 23	27	3	July 14	Oct. 1	28	3
Pelham	July 22	Sep. 23	11	1	July 15	Sep. 28	13	1
Statesboro	July 21	Sep. 20	12	1	July 14	Oct. 2	14	1
Thomasville	July 22	Sep. 21	8	1	July 15	Sep. 24	10	1
Tifton	July 21	Sep. 22	19	3	July 14	Sep. 29	24	3
Valdosta	July 21	Sep. 20	23	2	July 14	Sep. 24	26	2
Vidalia	July 21	Sep. 22	27	2	July 14	Oct. 1	32	2
Waycross	July 22	Sep. 7	7	1	July 20	Sep. 21	7	1
Total Georgia			37				37	
Florida:								
High Springs	July 22	Sep. 14	9	1	July 15	Sep. 17	12	1
Jasper	July 26	Sep. 15	5	1	July 21	Sep. 15	5	1
Lake City	July 21	Sep. 14	14	1	July 14	Sep. 29	15	1
Live Oak	July 21	Sep. 20	27	2	July 14	Sep. 28	35	2
Madison	July 23	Sep. 1	5	1	July 20	Sep. 21	6	1
Total Florida			6				6	
Total type 14			43				43	
Total 11-14			319				319	

1/ Winston-Salem, N. C. clean-up sale held November 3, 1982.

2/ Reidsville clean-up sale held November 16, Winston-Salem November 19 and Mt. Airy, N. C. November 24, 1981.

Table 4.—Movement of tobacco across state lines 1/

State in which produced and crop year	Total sold out of State	Sold in:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
<u>1,000 pounds</u>						
1982 Crop						
Alabama	832		832			
Florida	3,478		3,478			
Georgia	2,246	2,246				
South Carolina	11,383		893			
North Carolina	21,254			4,395	10,490	
Virginia	5,851				5,851	16,859
Total	45,044	2,246	5,203	4,395	16,341	16,859
1981 Crop						
Alabama	968		968			
Florida	3,527		3,527			
Georgia	2,713	2,629		84		
South Carolina	14,010		784		13,226	
North Carolina	27,905			5,326		22,579
Virginia	7,270				7,270	
Total	56,393	2,629	5,279	5,410	20,496	22,579

1/ Based on report of Agricultural Stabilization and Conservation Service, USDA.

Table 5.—Producers' sales, value, and average price by types and crop years 1/

Type 11 - Old and Middle Belt				Type 12 - Eastern North Carolina			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1977	366,808,557	417,330,219	113.77	1977	370,468,041	439,097,186	118.52
1978	367,998,997	485,041,730	131.81	1978	437,339,128	586,891,858	134.20
1979	297,253,267	415,924,990	139.92	1979	319,873,433	445,310,458	139.21
1980	301,619,475	431,458,289	143.05	1980	424,336,839	626,791,057	147.71
1981	387,156,360	633,885,313	163.73	1981	367,509,749	625,370,225	170.16
1982	293,017,973	522,488,036	178.31	1982	359,483,566	648,029,733	180.27

Type 13 - South Carolina and Border North Carolina

Type 14 - Georgia and Florida

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1977	227,599,029	282,038,620	123.92	1977	156,528,836	181,232,258	115.78
1978	251,200,323	344,041,868	136.96	1978	145,288,241	207,376,974	142.73
1979	200,820,411	284,338,463	141.59	1979	124,973,269	174,685,006	139.78
1980	224,670,253	321,143,472	142.94	1980	132,066,156	185,319,068	140.32
1981	243,371,937	405,796,625	166.74	1981	143,762,511	234,878,993	163.38
1982	208,056,923	364,960,045	175.41	1982	126,308,316	226,452,919	179.29

Types 11-14 - Total flue-cured

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1977	1,121,404,463	1,319,698,283	117.68	1980	1,082,692,723	1,564,711,886	144.52
1978	1,201,826,689	1,623,352,430	135.07	1981	1,141,800,557	1,899,931,156	166.40
1979	942,920,380	1,320,258,917	140.02	1982	986,866,778	1,761,930,733	178.54

1/ Auction sales only. Does not include carry-over tobacco, nonauction sales, or direct deliveries.

Table 6.—Gross sales, value, and average price; resales, average price, and percentage of gross sales by types and crop years 1/

Type 11 - Old and Middle Belt

Crop	Gross			Resales		
	Sales	Value	Average price	Resales	Average price	Percentage of gross sales
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent
1977	385,256,228	439,235,153	114.01	18,447,671	118.74	4.8
1978	391,103,294	515,946,150	131.92	23,104,297	133.76	5.9
1979	318,902,173	446,535,573	140.02	21,648,906	141.40	6.8
1980	321,633,104	460,671,796	143.23	20,013,629	145.97	6.2
1981	412,798,710	675,930,013	163.74	29,642,350	163.97	6.2
1982	311,789,587	556,058,489	178.34	18,771,614	178.84	6.0

Type 12 - Eastern North Carolina

1977	388,914,382	461,020,721	118.54	18,446,341	118.85	4.7
1978	465,606,347	624,550,827	134.14	28,267,219	133.22	6.1
1979	343,039,128	477,461,168	139.19	23,165,695	138.79	6.8
1980	455,737,405	672,390,516	147.54	31,400,566	145.22	6.9
1981	396,954,540	674,475,826	169.91	29,444,791	166.77	7.4
1982	384,038,067	691,188,012	179.98	24,554,501	175.77	6.4

Type 13 - South Carolina and Border North Carolina

1977	242,521,480	301,064,572	124.14	14,922,451	127.50	6.2
1978	272,244,858	373,061,481	137.03	21,044,535	137.90	7.7
1979	219,417,784	310,800,468	141.65	18,597,373	142.29	8.5
1980	244,799,301	350,784,795	143.29	20,129,048	147.26	8.2
1981	266,180,894	444,251,749	166.90	22,808,957	168.60	8.6
1982	226,442,972	397,140,954	175.38	18,386,049	175.03	8.1

Type 14 - Georgia and Florida

1977	169,195,099	196,094,691	115.90	12,666,263	117.34	7.5
1978	160,110,020	227,934,602	142.36	14,821,779	138.70	9.3
1979	137,626,923	192,409,431	139.81	12,653,654	140.07	9.2
1980	144,316,545	202,817,565	140.54	12,250,389	142.84	8.5
1981	158,180,639	258,751,225	163.58	14,418,128	165.57	9.1
1982	139,147,625	249,843,137	179.55	12,839,309	182.18	9.2

Types 11-14 Total flue-cured

1977	1,185,887,189	1,397,415,137	117.84	64,482,726	120.52	5.4
1978	1,289,064,519	1,741,493,060	135.10	87,237,830	135.42	6.8
1979	1,018,986,008	1,427,206,640	140.06	76,065,628	140.60	7.5
1980	1,166,486,355	1,686,664,672	144.59	83,793,632	145.54	7.2
1981	1,234,114,783	2,053,408,813	166.39	92,314,226	166.26	7.5
1982	1,061,418,251	1,894,230,592	178.46	74,551,473	177.46	7.0

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 7.—Producers' sales, value, and average price by markets 1/

Market and State	Type 11 - Old and Middle Belt flue-cured					
	1982 crop			1981 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
Virginia:						
Brookneal	6,293,222	11,400,801	181.16	8,398,703	13,735,355	163.54
Chase City	5,359,697	9,641,023	179.88	7,002,136	11,848,971	169.22
Clarksville	6,279,560	11,354,700	180.82	8,777,999	14,680,767	167.25
Danville	39,794,018	71,995,337	180.92	52,400,351	86,753,273	165.56
Kenbridge	3,403,342	6,051,823	177.82	4,673,777	7,764,207	166.12
Lawrenceville	6,404,879	11,562,728	180.53	9,205,753	15,385,846	167.13
Petersburg	4,014,446	7,193,887	179.20	5,231,024	8,642,743	165.22
South Boston	16,205,706	29,113,551	179.65	22,008,804	36,320,136	165.03
South Hill	8,553,939	15,753,789	184.17	11,006,398	18,573,908	168.76
Total Virginia	96,308,809	174,067,639	180.74	128,704,945	213,705,206	166.04
North Carolina:						
Aberdeen	5,746,098	9,817,783	170.86	6,559,984	10,523,818	160.42
Burlington	3,984,761	7,122,760	178.75	4,751,922	7,881,467	165.86
Carthage	7,693,867	13,482,733	175.24	9,365,727	15,498,944	165.49
Durham	11,681,244	20,662,953	176.89	15,169,557	24,800,286	163.49
Fuquay-Varina	17,730,127	31,485,160	177.58	20,295,419	33,574,926	165.43
Greensboro	1,149,003	2,025,807	176.31	1,943,502	3,167,852	163.00
Henderson	12,619,989	22,640,260	179.40	15,512,699	25,775,113	166.15
Louisburg	8,002,216	14,334,370	179.13	8,970,867	14,704,936	163.92
Madison	4,246,566	7,385,203	173.91	5,638,017	8,902,762	157.91
Mebane	3,126,017	5,558,996	177.83	4,743,529	7,903,794	166.62
Mt. Airy	11,795,548	20,876,940	176.99	16,213,096	25,534,670	157.49
Oxford	12,568,330	22,467,147	178.76	18,275,096	29,976,328	164.03
Reidsville	16,845,558	30,185,555	179.19	21,247,296	34,822,449	163.89
Roxboro	13,908,895	25,056,874	180.15	18,434,735	30,808,060	167.12
Sanford	10,257,615	18,369,337	179.08	11,484,665	19,001,796	165.45
Stoneville	7,313,050	12,900,220	176.40	12,008,817	19,148,507	159.45
Warrenton	7,640,691	13,484,291	176.48	9,739,575	15,659,207	160.78
Winston-Salem	35,385,261	61,938,361	175.04	51,228,613	81,885,867	159.84
Yadkinville	5,014,328	8,625,647	172.02	6,868,299	10,609,325	154.47
Total N.C.	196,709,164	348,420,397	177.12	258,451,415	420,180,107	162.58
Total type 11	293,017,973	522,488,036	178.31	387,156,360	633,885,313	163.73

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	7,412,743	12,804,772	172.74	8,663,071	13,930,658	160.81
Clinton	17,876,791	31,733,092	177.51	17,857,422	30,189,267	169.06
Dunn	11,120,227	19,467,069	175.06	12,142,959	20,143,301	165.88
Farmville	26,897,693	49,236,227	183.05	27,598,334	47,643,739	172.63
Goldsboro	35,140,467	64,166,493	182.60	32,564,947	56,635,106	173.91
Greenville	41,871,205	75,129,503	179.43	41,606,262	71,654,443	172.22
Kinston	43,714,747	78,979,433	180.67	39,445,752	68,227,370	172.97
Robersonville	6,871,405	12,303,938	179.06	6,835,604	11,680,678	170.88
Rocky Mount	24,720,383	43,760,022	177.02	26,529,979	43,449,752	163.78
Smithfield	20,988,122	37,614,912	179.22	21,067,155	35,497,171	168.50
Tarboro	3,148,064	5,477,631	174.00	3,497,657	5,658,938	161.79
Wallace	11,479,593	20,309,696	176.92	10,742,147	18,079,344	168.30
Washington	4,125,729	7,185,782	174.17	5,498,982	9,218,757	167.64
Wendell	6,857,806	12,270,672	178.93	9,593,952	15,958,197	166.34
Williamston	11,512,358	20,511,568	178.17	11,959,590	20,345,365	170.12
Wilson	75,177,506	138,672,428	184.46	80,308,732	137,734,696	171.51
Windsor	10,568,727	18,406,495	174.16	11,597,204	19,323,443	166.62
Total type 12	359,483,566	648,029,733	180.27	367,509,749	625,370,225	170.16

See footnote at end of table.

Continued

Table 7.—Producers' sales, value, and average price by markets 1/—Continued

Market and State	Type 13 - South Carolina and Border North Carolina flue-cured			1981 crop		
	1982 crop			1981 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
South Carolina:						
Conway	8,654,174	15,202,787	175.67	10,843,437	18,083,787	166.77
Darlington	7,351,511	13,045,991	177.46	8,276,275	13,147,635	158.86
Dillon	681,849	1,138,142	166.92	1,481,350	2,398,627	161.92
Hemingway	8,208,070	14,790,942	180.20	9,691,428	16,159,802	166.74
Kingstree	7,548,325	13,130,311	173.95	8,731,550	13,951,647	159.78
Lake City	33,969,864	60,710,941	178.72	39,070,749	63,989,075	163.78
Loris	6,791,324	11,792,455	173.64	7,515,324	12,765,300	169.86
Mullins	30,300,588	53,032,089	175.02	38,259,338	64,054,385	167.42
Pamplico	4,406,891	7,798,875	176.97	4,992,587	8,139,117	163.02
Timmonsville	8,013,870	14,043,506	175.24	10,109,206	16,496,428	163.18
Total S.C.	115,926,466	204,686,039	176.57	138,971,244	229,185,803	164.92
North Carolina:						
Chadbourn	11,997,803	20,524,642	171.07	14,588,409	24,514,581	168.04
Clarkton	7,151,852	12,414,890	173.59	6,217,770	10,310,124	165.82
Fair Bluff	5,172,147	9,100,910	175.96	7,268,075	12,359,772	170.06
Fairmont	27,849,116	49,148,120	176.48	31,073,898	52,995,607	170.55
Lumberton	15,004,681	25,805,050	171.98	16,655,551	27,454,017	164.83
Tabor City	10,767,052	18,562,398	172.40	13,709,581	23,209,881	169.30
Whiteville	14,187,806	24,717,996	174.22	14,887,409	25,766,840	173.08
Total N.C.	92,130,457	160,274,006	173.96	104,400,693	176,610,822	169.17
Total type 13	208,056,923	364,960,045	175.41	243,371,937	405,796,625	166.74
Type 14 - Georgia and Florida flue-cured						
Georgia:						
Adel	2,819,219	5,065,573	179.68	4,125,466	6,916,301	167.65
Alma	5,598,239	10,042,121	179.38	6,448,106	10,709,601	166.09
Baxley	3,229,922	5,558,696	172.10	4,412,946	6,756,983	153.12
Blackshear	7,291,682	13,087,840	179.49	9,507,686	15,411,002	162.09
Claxton	6,107,838	10,573,278	173.11	6,648,319	10,074,335	151.53
Douglas	12,722,916	23,798,214	187.05	13,822,007	23,356,044	168.98
Fitzgerald	3,132,659	5,898,797	188.30	3,999,146	6,597,449	164.97
Hahira	3,795,914	6,876,298	181.15	4,279,051	7,279,587	170.12
Hazlehurst	3,243,490	5,675,134	174.97	3,714,006	5,898,040	158.81
Metter	2,327,605	4,032,576	173.25	3,029,898	4,558,912	150.46
Moultrie	13,986,468	24,798,008	177.30	15,985,564	26,367,235	164.94
Nashville	9,143,014	17,062,693	186.62	9,432,171	16,151,292	171.24
Pelham	3,356,921	5,966,927	177.75	3,469,675	5,659,914	163.13
Statesboro	3,409,341	5,758,377	168.90	3,984,622	5,763,816	144.65
Thomasville	2,283,143	3,928,376	172.06	2,594,719	4,144,204	159.72
Tifton	6,485,821	11,726,364	180.80	6,810,309	10,967,694	161.05
Valdosta	7,262,138	12,636,846	174.01	8,043,141	13,298,382	165.34
Vidalia	9,061,039	15,747,180	173.79	9,485,818	14,380,662	151.60
Waycross	2,273,581	4,197,713	184.63	2,527,889	4,428,699	175.19
Total Georgia	107,530,950	192,431,011	178.95	122,320,539	198,720,152	162.46
Florida:						
High Springs	2,447,211	4,291,429	175.36	2,713,363	4,444,776	163.81
Jasper	1,374,000	2,475,398	180.16	1,525,300	2,676,574	175.48
Lake City	4,518,750	8,119,290	179.68	4,657,639	7,763,507	166.68
Live Oak	8,992,100	16,474,426	183.21	10,798,491	18,327,300	169.72
Madison	1,445,305	2,661,365	184.14	1,747,179	2,946,684	168.65
Total Florida	18,777,366	34,021,908	181.19	21,441,972	36,158,841	168.64
Total type 14	126,308,316	226,452,919	179.29	143,762,511	234,878,993	163.38
Total types 11-14	986,866,778	1,761,930,733	178.54	1,141,800,557	1,899,931,156	166.40

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 8.--Gross sales, value, and average price by markets 1/

Market and State	Type 11 - Old and Middle Belt flue-cured					
	1982 crop			1981 crop		
	Sales Pounds	Average Value Dollars	Average price Dollars	Sales Pounds	Average Value Dollars	Average price Dollars
Virginia:						
Brookneal	6,559,708	11,880,822	181.12	8,852,824	14,477,753	163.54
Chase City	5,591,717	10,036,060	179.48	7,345,237	12,395,673	168.76
Clarksville	6,382,642	11,537,660	180.77	9,115,060	15,215,628	166.93
Danville	41,894,444	75,802,989	180.94	54,950,610	90,929,674	165.48
Kenbridge	3,452,462	6,135,460	177.71	4,757,582	7,893,503	165.91
Lawrenceville	6,524,330	11,773,619	180.46	9,454,054	15,786,485	166.98
Petersburg	4,117,802	7,379,876	179.22	5,447,366	8,998,001	165.18
South Boston	16,919,236	30,342,749	179.34	23,130,889	38,118,019	164.79
South Hill	8,692,803	15,997,468	184.03	11,279,225	19,023,595	168.66
Total Virginia	100,135,144	180,886,703	180.64	134,332,847	222,838,331	165.89
North Carolina:						
Aberdeen	6,110,366	10,411,503	170.39	7,135,903	11,443,193	160.36
Burlington	4,144,295	7,404,433	178.67	4,953,443	8,218,696	165.92
Carthage	8,144,322	14,245,624	174.91	9,905,678	16,409,819	165.66
Durham	12,748,726	22,567,021	177.01	16,627,066	27,203,188	163.61
Fuquay-Varina	18,767,997	33,342,844	177.66	21,797,303	36,069,403	165.48
Greensboro	1,209,843	2,134,321	176.41	2,064,524	3,357,684	162.64
Henderson	13,114,814	23,533,271	179.44	16,156,223	26,860,270	166.25
Louisburg	8,454,685	15,144,199	179.12	9,705,076	15,904,021	163.87
Madison	4,794,075	8,363,602	174.46	6,182,028	9,760,357	157.88
Mebane	3,176,042	5,646,034	177.77	4,842,298	8,055,142	166.35
Mt. Airy	13,121,470	23,262,141	177.28	17,905,120	28,282,985	157.96
Oxford	13,118,132	23,437,822	178.67	19,227,831	31,504,287	163.85
Reidsville	17,591,314	31,562,593	179.42	22,186,409	36,427,196	164.19
Roxboro	15,032,671	27,051,127	179.95	19,694,270	32,910,928	167.11
Sanford	10,689,206	19,135,843	179.02	12,153,484	20,125,161	165.59
Stoneville	8,158,322	14,446,476	177.08	13,184,241	21,091,598	159.98
Warrenton	8,079,325	14,256,331	176.45	10,413,160	16,767,993	161.03
Winston-Salem	39,775,176	69,888,058	175.71	56,942,745	91,302,133	160.34
Yadkinville	5,423,662	9,338,543	172.18	7,389,061	11,397,628	154.25
Total N.C.	211,654,443	375,171,786	177.26	278,465,863	453,091,682	162.71
Total type 11	311,789,587	556,058,489	178.34	412,798,710	675,930,013	163.74

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	8,056,073	13,902,164	172.57	9,334,254	15,035,829	161.08
Clinton	19,140,227	33,964,194	177.45	19,217,313	32,497,506	169.11
Dunn	11,845,939	20,672,550	174.51	12,827,559	21,252,363	165.68
Farmville	28,811,362	52,615,766	182.62	29,592,683	50,991,840	172.31
Goldsboro	39,011,850	71,201,957	182.51	36,134,581	62,720,650	173.58
Greenville	44,358,697	79,378,886	178.95	45,207,514	77,558,319	171.56
Kinston	46,466,177	83,818,098	180.39	42,406,461	73,195,726	172.61
Robersonville	7,465,237	13,279,426	177.88	7,551,580	12,781,073	169.25
Rocky Mount	25,633,841	45,304,405	176.74	27,717,184	45,369,435	163.69
Smithfield	22,594,479	40,454,951	179.05	22,919,544	38,606,434	168.44
Tarboro	3,236,476	5,617,623	173.57	3,706,347	5,982,766	161.42
Wallace	11,946,893	21,083,825	176.48	11,319,511	19,022,511	168.05
Washington	4,367,834	7,597,070	173.93	5,926,228	9,935,824	167.66
Wendell	7,120,796	12,717,860	178.60	10,134,386	16,837,403	166.14
Williamston	11,726,322	20,870,963	177.98	12,383,221	21,040,232	169.91
Wilson	80,781,079	148,688,815	184.06	87,866,783	150,481,490	171.26
Windsor	11,474,785	20,019,459	174.46	12,709,391	21,166,425	166.54
Total type 12	384,038,067	691,188,012	179.98	396,954,540	674,475,826	169.91

Continued

See footnote at end of table.

Table 8.—Gross sales, value, and average price by markets 1/—Continued

Market and State	Type 13 - South Carolina and Border North Carolina flue-cured			1981 crop			Average price Dollars	
	1982 crop			1981 crop				
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars			
South Carolina:								
Conway	9,472,569	16,650,282	175.77	11,936,905	19,956,942	167.19		
Darlington	7,823,092	13,874,700	177.36	8,878,816	14,151,650	159.39		
Dillon	722,075	1,202,701	166.56	1,584,422	2,562,517	161.73		
Hemingway	8,947,529	16,161,973	180.63	10,516,878	17,596,847	167.32		
Kingstree	8,255,032	14,375,175	174.14	9,555,472	15,342,564	160.56		
Lake City	37,157,327	66,367,413	178.61	42,923,304	70,340,229	163.87		
Loris	7,199,136	12,497,847	173.60	8,145,292	13,827,663	169.76		
Mullins	33,470,603	58,600,854	175.08	42,067,721	70,518,207	167.63		
Pamplico	4,614,691	8,169,549	177.03	5,275,775	8,602,951	163.07		
Timmonsville	8,927,641	15,648,819	175.29	11,208,836	18,355,953	163.76		
Total S.C.	126,589,695	223,549,313	176.59	152,093,421	251,255,523	165.20		
North Carolina:								
Chadbourn	13,195,193	22,581,998	171.14	16,235,511	27,312,632	168.23		
Clarkton	7,817,535	13,595,346	173.91	6,816,316	11,303,500	165.83		
Fair Bluff	5,823,579	10,179,225	174.79	8,102,123	13,732,667	169.49		
Fairmont	30,249,201	53,339,148	176.33	34,097,681	58,183,366	170.64		
Lumberton	15,730,138	27,058,350	172.02	17,640,788	29,104,273	164.98		
Tabor City	11,775,915	20,265,258	172.09	14,959,113	25,293,155	169.08		
Whiteville	15,261,716	26,572,316	174.11	16,235,941	28,066,633	172.87		
Total N.C.	99,853,277	173,591,641	173.85	114,087,473	192,996,226	169.17		
Total type 13	226,442,972	397,140,954	175.38	266,180,894	444,251,749	166.90		
Type 14 - Georgia and Florida flue-cured								
Georgia:								
Adel	3,059,122	5,511,961	180.18	4,507,011	7,526,488	167.00		
Alma	6,002,127	10,792,828	179.82	6,830,879	11,384,396	166.66		
Baxley	3,451,731	5,930,182	171.80	4,741,007	7,280,230	153.56		
Blackshear	7,888,103	14,200,463	180.02	10,255,262	16,648,896	162.34		
Claxton	6,703,904	11,584,683	172.81	7,337,940	11,115,942	151.49		
Douglas	14,127,897	26,575,440	188.11	15,226,243	25,881,887	169.98		
Fitzgerald	3,327,693	6,261,950	188.18	4,275,640	7,066,720	165.28		
Hahira	4,046,656	7,334,980	181.26	4,526,890	7,702,365	170.15		
Hazlehurst	3,554,103	6,226,814	175.20	4,125,207	6,537,213	158.47		
Metter	2,392,671	4,146,084	173.28	3,110,462	4,674,594	150.29		
Moultrie	15,681,164	27,863,035	177.68	17,964,693	29,611,607	164.83		
Nashville	10,104,698	18,903,260	187.07	10,289,052	17,635,054	171.40		
Pelham	3,726,254	6,644,284	178.31	3,881,352	6,367,771	164.06		
Statesboro	3,740,313	6,297,100	168.36	4,459,709	6,454,103	144.72		
Thomasville	2,691,177	4,676,669	173.78	2,973,323	4,789,489	161.08		
Tifton	7,331,853	13,151,420	179.37	7,618,984	12,301,034	161.45		
Valdosta	7,927,078	13,825,293	174.41	8,918,583	14,772,691	165.64		
Vidalia	10,104,875	17,586,523	174.04	10,591,006	16,104,781	152.06		
Waycross	2,400,492	4,454,061	185.55	2,636,566	4,633,432	175.74		
Total Georgia	118,261,911	211,967,030	179.24	134,269,809	218,488,693	162.72		
Florida:								
High Springs	2,574,249	4,528,266	175.91	2,932,223	4,817,428	164.29		
Jasper	1,429,840	2,581,354	180.53	1,603,191	2,807,411	175.11		
Lake City	4,975,726	8,882,851	178.52	5,243,495	8,644,314	164.86		
Live Oak	10,243,262	18,819,729	183.73	12,264,996	20,838,233	169.90		
Madison	1,662,637	3,063,907	184.28	1,866,925	3,155,146	169.00		
Total Florida	20,885,714	37,876,107	181.35	23,910,830	40,262,532	168.39		
Total type 14	139,147,625	249,843,137	179.55	158,180,639	258,751,225	163.58		
Total types 11-14	1,061,418,251	1,894,230,592	178.46	1,234,114,783	2,053,408,813	166.39		

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 9.—Resales, average price, and percentage of gross sales by types and markets 1/

Market and State	Type 11 - Old and Middle Belt flue-cured					
	1982 crop			1981 crop		
	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
Virginia:						
Brookneal	266,486	180.13	4.1	454,121	163.48	5.1
Chase City	232,020	170.26	4.2	343,101	159.34	4.7
Clarksville	103,082	177.49	1.6	337,061	158.68	3.7
Danville	2,100,426	181.28	5.0	2,550,259	163.76	4.6
Kenbridge	49,120	170.27	1.4	83,805	154.28	1.8
Lawrenceville	119,451	176.55	1.8	248,301	161.35	2.6
Petersburg	103,356	179.95	2.5	216,342	164.21	4.0
South Boston	713,530	172.27	4.2	1,122,085	160.23	4.9
South Hill	138,864	175.48	1.6	272,827	164.82	2.4
Total Virginia	3,826,335	178.21	3.8	5,627,902	162.28	4.2
North Carolina:						
Aberdeen	364,268	162.99	6.0	575,919	159.64	8.1
Burlington	159,534	176.56	3.9	201,521	167.34	4.1
Carthage	450,455	169.36	5.5	539,951	168.70	5.4
Durham	1,067,482	178.37	8.4	1,457,509	164.86	8.8
Fuquay-Varina	1,037,870	178.99	5.5	1,501,884	166.09	6.9
Greensboro	60,840	178.36	5.0	121,022	156.86	5.9
Henderson	494,825	180.47	3.8	643,524	168.63	4.0
Louisburg	452,469	178.98	5.4	734,209	163.32	7.6
Madison	547,509	178.70	11.4	544,011	157.64	8.8
Mebane	50,025	173.99	1.6	98,769	153.23	2.0
Mt. Airy	1,325,922	179.89	10.1	1,692,024	162.43	9.4
Oxford	549,802	176.55	4.2	952,735	160.38	5.0
Reidsville	745,756	184.65	4.2	939,113	170.88	4.2
Roxboro	1,123,776	177.46	7.5	1,259,535	166.96	6.4
Sanford	431,591	177.60	4.0	668,819	167.96	5.5
Stoneville	845,272	182.93	10.4	1,175,424	165.31	8.9
Warrenton	438,634	176.01	5.4	673,585	164.61	6.5
Winston-Salem	4,389,915	181.07	11.0	5,714,132	164.79	10.0
Yadkinville	409,334	174.16	7.6	520,762	151.37	7.0
Total N.C.	14,945,279	179.00	7.1	20,014,448	164.44	7.2
Total type 11	18,771,614	178.84	6.0	25,642,350	163.97	6.2

Type 12 - Eastern North Carolina flue-cured

North Carolina:	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
Ahoskie	643,330	170.58	8.0	671,183	164.66	7.2
Clinton	1,263,436	176.59	6.6	1,359,891	169.74	7.1
Dunn	725,712	166.11	6.1	684,600	162.00	5.3
Farmville	1,913,669	176.60	6.6	1,994,349	167.88	6.7
Goldsboro	3,871,383	181.73	9.9	3,569,634	170.48	9.9
Greenville	2,487,492	170.83	5.6	3,601,252	163.94	8.0
Kinston	2,751,430	175.86	5.9	2,960,709	167.81	7.0
Robersonville	593,832	164.27	8.0	715,976	153.69	9.5
Rocky Mount	913,458	169.07	3.6	1,187,205	161.70	4.3
Smithfield	1,606,357	176.80	7.1	1,852,389	167.85	8.1
Tarboro	88,412	158.34	2.7	208,690	155.17	5.6
Wallace	467,300	165.66	3.9	577,364	163.36	5.1
Washington	242,105	169.88	5.5	427,246	167.83	7.2
Wendell	262,990	170.04	3.7	540,434	162.69	5.3
Williamston	213,964	167.97	1.8	423,631	164.03	3.4
Wilson	5,603,573	178.75	6.9	7,558,051	168.65	8.6
Windsor	906,058	178.02	7.9	1,112,187	165.71	8.8
Total type 12	24,554,501	175.77	6.4	29,444,791	166.77	7.4

See footnote at end of table.

Continued

Table 9.--Resales, average price, and percentage of gross sales by types and markets 1/—Continued

Type 13 - South Carolina and Border North Carolina flue-cured						
Market and State	1982 crop			1981 crop		
	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
South Carolina:						
Conway	818,395	176.87	8.6	1,093,468	171.30	9.2
Darlington	471,581	175.73	6.0	602,541	166.63	6.8
Dillon	40,226	160.49	5.6	103,072	159.01	6.5
Hemingway	739,459	185.41	8.3	825,450	174.09	7.8
Kingstree	706,707	176.15	8.6	823,922	168.82	8.6
Lake City	3,187,463	177.46	8.6	3,852,555	164.86	9.0
Loris	407,812	172.97	5.7	629,968	168.64	7.7
Mullins	3,170,015	175.67	9.5	3,808,383	169.73	9.1
Pamplico	207,800	178.38	4.5	283,188	163.79	5.4
Timmonsville	913,771	175.68	10.2	1,099,630	169.10	9.8
Total S.C.	10,663,229	176.90	8.4	13,122,177	168.19	8.6
North Carolina:						
Chadbourn	1,197,390	171.82	9.1	1,647,102	169.88	10.2
Clarkton	665,683	177.33	8.5	598,546	165.96	8.8
Fair Bluff	651,432	165.53	11.2	834,048	164.61	10.3
Fairmont	2,400,085	174.62	7.9	3,023,783	171.57	8.9
Lumberton	725,457	172.76	4.6	985,237	167.50	5.6
Tabor City	1,008,863	168.79	8.6	1,249,532	166.72	8.4
Whiteville	1,073,910	172.67	7.0	1,348,532	170.54	8.3
Total N.C.	7,722,820	172.45	7.7	9,686,780	169.15	8.5
Total type 13	18,386,049	175.03	8.1	22,808,957	168.60	8.6
Type 14 - Georgia and Florida flue-cured						
Georgia:						
Adel	239,903	186.07	7.8	381,545	159.93	8.5
Alma	403,888	185.87	6.7	382,773	176.29	5.6
Baxley	221,809	167.48	6.4	328,061	159.50	6.9
Blackshear	596,421	186.55	7.6	747,576	165.59	7.3
Claxton	596,066	169.68	8.9	689,621	151.04	9.4
Douglas	1,404,981	197.67	9.9	1,404,236	179.87	9.2
Fitzgerald	195,034	186.20	5.9	276,494	169.72	6.5
Hahira	250,742	182.93	6.2	247,839	170.59	5.5
Hazlehurst	310,613	177.61	8.7	411,201	155.44	10.0
Metter	65,066	174.45	2.7	80,564	143.59	2.6
Moultrie	1,694,696	180.86	10.8	1,979,129	163.93	11.0
Nashville	961,684	191.39	9.5	856,881	173.16	8.3
Pelham	369,333	183.40	9.9	411,677	171.94	10.6
Statesboro	330,972	162.77	8.9	475,087	145.30	10.7
Thomasville	408,034	183.39	15.2	378,604	170.44	12.7
Tifton	846,032	168.44	11.5	808,675	164.88	10.6
Valdosta	664,940	178.73	8.4	875,442	168.41	9.8
Vidalia	1,043,836	176.21	10.3	1,105,188	156.00	10.4
Waycross	126,911	201.99	5.3	108,677	188.39	4.1
Total Georgia	10,730,961	182.05	9.1	11,949,270	165.44	8.9
Florida:						
High Springs	127,038	186.43	4.9	218,860	170.27	7.5
Jasper	55,840	189.75	3.9	77,891	167.97	4.9
Lake City	456,976	167.09	9.2	585,856	150.35	11.2
Live Oak	1,251,162	187.45	12.2	1,466,505	171.22	12.0
Madison	217,332	185.22	13.1	119,746	174.09	6.4
Total Florida	2,108,348	182.81	10.1	2,468,858	166.22	10.3
Total type 14	12,839,309	182.18	9.2	14,418,128	165.57	9.1
Total types 11-14	74,551,473	177.46	7.0	92,314,226	166.26	7.5

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

**Table 10.--Rank of markets by volume of producers' sales, by separate types and by all types,
1982 crop 1/**

Type, market, and State	Sales	Rank by:		Type, market, and State	Sales	Rank by:	
		Separate types	All types			Separate types	All types
	Mil. lb.				Mil. lb.		
<u>Type 11</u>							
Danville, Va.	39.8	1	4	Lake City, S.C.	34.0	1	7
Winston-Salem, N.C.	35.4	2	5	Mullins, S.C.	30.3	2	8
Fuquay-Varina, N.C.	17.7	3	14	Fairmont, N.C.	27.8	3	9
Reidsville, N.C.	16.8	4	15	Lumberton, N.C.	15.0	4	17
South Boston, Va.	16.2	5	16	Whiteville, N.C.	14.2	5	18
Roxboro, N.C.	13.9	6	20	Chadbourn, N.C.	12.0	6	24
Henderson, N.C.	12.6	7	22	Tabor City, N.C.	10.8	7	30
Oxford, N.C.	12.6	8	23	Conway, S.C.	8.7	8	36
Mt. Airy, N.C.	11.8	9	25	Hemingway, S.C.	8.2	9	38
Durham, N.C.	11.7	10	26	Timmonsville, S.C.	8.0	10	39
Sanford, N.C.	10.3	11	32	Kingstree, S.C.	7.5	11	43
South Hill, Va.	8.6	12	37	Darlington, S.C.	7.4	12	45
Louisburg, N.C.	8.0	13	40	Clarkton, N.C.	7.2	13	49
Carthage, N.C.	7.7	14	41	Loris, S.C.	6.8	14	52
Warrenton, N.C.	7.6	15	42	Fair Bluff, N.C.	5.2	15	61
Stoneville, N.C.	7.3	16	46	Pamplico, S.C.	4.4	16	64
Lawrenceville, Va.	6.4	17	54	Dillon, S.C.	0.7	17	86
Brookneal, Va.	6.3	18	55				
Clarksville, Va.	6.3	19	56				
Aberdeen, N.C.	5.7	20	58				
Chase City, Va.	5.4	21	60				
Yadkinville, N.C.	5.0	22	62				
Madison, N.C.	4.2	23	65				
Petersburg, Va.	4.0	24	67				
Burlington, N.C.	4.0	25	68				
Kenbridge, Va.	3.4	26	71				
Mebane, N.C.	3.1	27	77				
Greensboro, N.C.	1.1	28	85				
<u>Type 12</u>							
Wilson, N.C.	75.2	1	1	Moultrie, Ga.	14.0	1	19
Kinston, N.C.	43.7	2	2	Douglas, Ga.	12.7	2	21
Greenville, N.C.	41.8	3	3	Nashville, Ga.	9.1	3	33
Goldsboro, N.C.	35.1	4	6	Vidalia, Ga.	9.1	4	34
Farmville, N.C.	26.9	5	10	Live Oak, Fla.	9.0	5	35
Rocky Mount, N.C.	24.7	6	11	Blackshear, Ga.	7.3	6	47
Smithfield, N.C.	21.0	7	12	Valdosta, Ga.	7.3	7	48
Clinton, N.C.	17.9	8	13	Tifton, Ga.	6.5	8	53
Williamston, N.C.	11.5	9	27	Claxton, Ga.	6.1	9	57
Wallace, N.C.	11.5	10	28	Alma, Ga.	5.6	10	59
Dunn, N.C.	11.1	11	29	Lake City, Fla.	4.5	11	63
Windsor, N.C.	10.6	12	31	Hahira, Ga.	3.8	12	69
Ahoskie, N.C.	7.4	13	44	Statesboro, Ga.	3.4	13	70
Robersonville, N.C.	6.9	14	50	Pelham, Ga.	3.4	14	72
Wendell, N.C.	6.9	15	51	Hazlehurst, Ga.	3.2	15	73
Washington, N.C.	4.1	16	66	Baxley, Ga.	3.2	16	74
Tarboro, N.C.	3.1	17	75	Fitzgerald, Ga.	3.1	17	76
				Adel, Ga.	2.8	18	78
				High Springs, Fla.	2.4	19	79
				Metter, Ga.	2.3	20	80
				Thomasville, Ga.	2.3	21	81
				Waycross, Ga.	2.3	22	82
				Madison, Fla.	1.4	23	83
				Jasper, Fla.	1.4	24	84

1/ In instances where producers' sales of two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 11.—Season average prices and support rates by individual grades, per 100 pounds 1/

Group and grade <u>2/</u>	1982 crop Season averages					1982 Loan rate <u>3/</u> 11-14	Group and grade <u>2/</u>
	Type 11	Type 12	Type 13	Type 14	11-14		
Wrappers:							Wrappers:
A1L	--	--	--	--	--	220	A1L
A1F	--	--	--	--	--	220	A1F
Leaf:							Leaf:
B1L	--	--	--	--	(212)	211	B1L
B2L	208	208	--	--	208	207	B2L
B3L	204	205	205	205	204	204	B3L
B4L	201	202	202	202	202	200	B4L
B5L	192	194	193	200	195	191	B5L
B6L	--	--	--	--	--	185	B6L
B1F	--	212	--	--	212	211	B1F
B2F	208	208	--	--	208	207	B2F
B3F	205	205	204	205	205	204	B3F
B4F	203	203	202	204	203	200	B4F
B5F	197	197	196	202	198	191	B5F
B6F	(187)	188	187	196	191	185	B6F
B1FR	--	--	--	--	--	209	B1FR
B2FR	--	--	--	--	--	205	B2FR
B3FR	--	(204)	--	--	202	202	B3FR
B4FR	203	201	198	--	202	199	B4FR
B5FR	199	199	195	(190)	198	190	B5FR
B6FR	-	(183)	--	--	(184)	183	B6FR
B4R	179	--	--	--	179	171	B4R
B5R	(169)	--	--	--	168	163	B5R
B3K	197	197	196	205	197	193	B3K
B4K	193	192	190	196	192	186	B4K
B5K	185	186	184	191	187	180	B5K
B6K	177	178	175	182	179	172	B6K
B3KR	193	194	196	198	194	191	B3KR
B4KR	189	190	190	198	191	184	B4KR
B5KR	182	183	183	193	186	176	B5KR
B3V	194	195	193	198	194	190	B3V
B4V	188	188	188	195	189	183	B4V
B5V	185	182	183	189	184	174	B5V
B3S	184	186	185	195	186	180	B3S
B4S	181	182	177	187	180	175	B4S
B5S	--	--	171	--	173	170	B5S
B3KL	179	181	180	190	181	175	B3KL
B4KL	176	177	177	185	178	171	B4KL
B5KL	171	174	171	178	174	165	B5KL
B6KL	168	168	160	177	169	155	B6KL
B3KF	181	179	181	187	181	175	B3KF
B4KF	178	177	176	187	178	171	B4KF
B5KF	172	174	172	178	174	165	B5KF
B6KF	164	169	164	168	167	155	B6KF
B4KV	177	178	180	185	180	170	B4KV
B5KV	171	175	175	178	175	158	B5KV
B6KV	163	169	165	169	167	146	B6KV
B3KM	187	187	188	194	188	182	B3KM
B4KM	184	184	184	193	185	177	B4KM
B5KM	177	180	179	187	181	171	B5KM
B6KM	168	172	171	177	174	160	B6KM
B4G	173	173	171	177	172	165	B4G
B5G	160	166	162	167	164	154	B5G
B6G	--	--	(152)	--	157	142	B6G
B5GR	155	--	--	--	155	143	B5GR
B4GK	168	172	168	176	171	155	B4GK
B5GK	164	168	165	169	167	151	B5GK
B6GK	159	163	158	162	161	142	B6GK
B5GG	144	153	148	154	150	126	B5GG

Continued

See footnotes at end of table.

Table 11.—Season average prices and support rates by individual grades, per 100 pounds 1/—Continued

Group and grade 2/	1982 crop Season averages					1982 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Smoking leaf:							Smoking leaf:
H3L	--	209	--	--	209	207	H3L
H4L	(205)	205	--	(205)	205	204	H4L
H5L	--	(201)	--	205	203	196	H5L
H6L	--	--	--	--	--	191	H6L
H1F	--	--	--	--	--	214	H1F
H2F	--	--	--	--	(211)	210	H2F
H3F	--	207	(207)	208	207	207	H3F
H4F	205	205	205	205	205	204	H4F
H5F	201	201	200	205	202	196	H5F
H6F	--	--	--	203	202	191	H6F
H4FR	(205)	205	--	--	205	200	H4FR
H5FR	198	(195)	--	--	197	192	H5FR
H6FR	(192)	--	--	--	190	185	H6FR
H4K	201	196	194	204	198	189	H4K
H5K	196	194	191	200	197	183	H5K
H6K	186	186	181	188	186	175	H6K
Cutters:							Cutters:
C1L	--	--	--	--	--	213	C1L
C2L	--	211	--	--	211	210	C2L
C3L	207	207	207	--	207	207	C3L
C4L	204	204	204	204	204	204	C4L
C5L	195	194	195	198	195	194	C5L
C1F	--	--	--	--	--	213	C1F
C2F	--	(211)	--	--	(210)	210	C2F
C3F	208	207	204	207	207	207	C3F
C4F	205	204	204	204	204	204	C4F
C5F	196	194	196	199	195	194	C5F
C4KR	190	190	192	198	190	189	C4KR
C4V	189	188	189	191	189	187	C4V
C4S	187	186	185	185	186	184	C4S
C4KL	181	181	181	182	181	179	C4KL
C4KM	187	185	186	191	186	184	C4KM
C4G	171	172	170	172	171	167	C4G
C4GK	170	169	166	173	169	161	C4GK
Lugs:							Lugs:
X1L	--	--	--	--	209	209	X1L
X2L	202	203	203	--	202	202	X2L
X3L	195	194	193	195	194	194	X3L
X4L	177	175	176	182	176	173	X4L
X5L	163	160	160	172	161	157	X5L
X1F	--	(209)	(208)	--	209	209	X1F
X2F	204	201	203	--	203	202	X2F
X3F	195	194	194	196	195	194	X3F
X4F	180	177	177	183	179	173	X4F
X5F	165	162	163	172	164	157	X5F
X3KR	182	180	182	188	181	179	X3KR
X4KR	175	174	175	180	175	171	X4KR
X3V	183	180	181	182	181	179	X3V
X4V	175	173	173	177	174	172	X4V
X3S	176	174	175	176	175	174	X3S
X4KL	163	162	160	165	162	156	X4KL
X4KF	167	163	162	167	165	156	X4KF
X4KV	162	159	164	163	162	153	X4KV
X3KM	175	174	172	176	174	168	X3KM
X4KM	168	166	166	173	168	161	X4KM
X4GK	159	161	157	160	159	151	X4GK
X4G	159	157	158	161	158	152	X4G
X5G	155	155	153	157	155	150	X5G

See footnotes at end of table.

-20-

Continued

Table 11.—Season average prices and support rates by individual grades, per 100 pounds 1/—Continued

Group and grade 2/	1982 crop Season averages					1982 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Primings:							
P2L	161	154	153	157	157	150	P2L
P2L sand	--	--	--	--	--	135	P2L sand
P3L	152	148	148	153	150	144	P3L
P3L sand	140	(144)	--	(133)	139	130	P3L sand
P4L	142	138	137	144	140	131	P4L
P4L sand	135	121	--	136	133	118	P4L sand
P5L	134	129	129	130	131	0	P5L
P5L sand	131	--	--	--	133	0	P5L sand
P2F	163	--	154	166	160	150	P2F
P2F sand	--	--	--	--	--	135	P2F sand
P3F	154	150	148	155	152	144	P3F
P3F sand	144	--	--	(141)	142	130	P3F sand
P4F	142	140	140	146	142	131	P4F
P4F sand	136	130	122	136	134	118	P4F sand
P5F	132	131	129	135	132	0	P5F
P5F sand	128	--	--	(122)	125	0	P5F sand
P4G	135	132	131	139	134	119	P4G
P4G sand	131	--	--	132	131	107	P4G sand
P5G	129	126	124	130	127	0	P5G
P5G sand	(125)	--	--	--	116	0	P5G sand
Mixed:							
M4F	--	--	--	--	--	160	M4F
M5F	--	(187)	--	(171)	176	156	M5F
M4KR	--	--	--	--	--	152	M4KR
M4KM	--	174	(170)	--	172	149	M4KM
M5KM	--	158	--	--	157	143	M5KM
M4GK	--	--	--	(166)	(165)	147	M4GK
M5GK	--	--	--	--	--	138	M5GK
Nondescript:							
N1L	130	126	125	132	128	0	N1L
N1L sand	--	--	--	--	(127)	0	N1L sand
N1XL	145	140	140	158	144	0	N1XL
N1K	156	162	159	164	162	130	N1K
N1R	151	150	138	151	149	120	N1R
N1GL	132	128	126	131	129	0	N1GL
N1GL sand	--	--	--	--	--	0	N1GL sand
N1GF	141	151	140	153	146	120	N1GF
N1KV	159	159	153	162	158	119	N1KV
N1GR	156	151	(141)	153	152	114	N1GR
N1GG	(130)	135	(147)	144	140	111	N1GG
N1PO	126	127	124	129	126	0	N1PO
N1PO sand	--	--	--	--	--	0	N1PO sand
N1XO	139	140	139	150	141	0	N1XO
N1BO	157	165	160	164	162	112	N1BO
N2	126	123	121	137	127	0	N2
NOG 4/ NOG-F sand	127	124	120	129	125	0	NOG 4/ NOG-F sand
"W"	--	--	--	(142)	140	0	"W"
"U"	125	120	135	135	130	0	"U"
	135	136	137	142	139	0	

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

4/ Includes NOG, NOG-F and scrap (S).

Table 12.—Average prices by weeks for representative grades and season averages—Type 11

Type 11

Group and grade	Week ending							
	July 29	Aug. 5	Aug. 12	Aug. 19	Aug. 26	Sep. 2	Sep. 9	Sep. 16
B4L	--	--	--	--	202	200	201	202
B3F	--	--	--	202	205	205	205	205
B4F	--	--	--	201	203	203	203	203
B5F	--	--	--	193	196	197	198	197
B3K	--	--	--	--	--	--	201	196
B4K	--	--	--	193	190	193	193	194
B5K	--	--	--	187	184	186	185	185
B6K	--	--	--	--	--	--	174	175
B3KR	--	--	--	191	197	196	192	196
B4KR	--	--	--	--	188	192	189	190
B5KR	--	--	--	--	--	184	--	181
B3V	--	--	--	199	192	193	201	193
B4V	--	--	--	187	186	188	190	188
B3KL	--	--	--	--	180	178	179	180
B4KL	--	--	171	175	175	174	177	176
B5KL	--	--	--	166	167	169	168	170
B3KF	--	--	--	--	179	182	181	185
B4KF	--	169	171	174	176	176	178	179
B5KF	--	160	165	165	169	169	172	173
B6KF	--	--	--	155	159	--	--	161
B5KV	--	--	--	--	--	166	169	172
B3KM	--	--	--	187	187	190	190	188
B4KM	--	178	178	182	184	185	186	184
B5KM	--	172	174	173	177	181	176	180
B4GK	--	--	--	162	165	165	166	169
B5GK	--	--	--	160	162	160	161	165
H4K	--	--	--	--	--	197	--	201
H5K	--	--	--	--	--	192	--	193
C4L	--	--	205	203	204	204	204	204
C5L	--	--	194	195	195	195	197	195
C4F	--	--	204	205	205	205	205	204
C5F	--	195	195	195	195	195	197	196
C4KR	--	--	193	190	190	189	191	192
C4V	--	190	190	188	189	188	190	189
C4S	--	--	184	185	187	186	186	187
C4KL	--	--	181	180	183	180	180	181
C4KM	--	185	186	187	187	186	188	187
X3L	--	194	195	195	195	195	197	193
X4L	173	174	174	177	177	178	180	178
X5L	--	157	159	161	165	165	166	164
X3F	--	195	196	196	196	195	195	192
X4F	174	178	177	180	181	180	183	183
X5F	--	158	160	164	166	167	168	167
X3V	--	--	179	183	185	182	182	183
X4V	172	172	173	176	175	175	179	177
X3S	174	176	175	176	175	177	--	--
X4KL	--	157	156	163	161	165	167	165
X3KM	169	170	174	176	179	177	181	180
X4KM	163	162	166	168	171	170	171	174
X4GK	--	153	158	159	158	162	160	163
X4G	--	152	155	159	158	162	158	163
P2L	155	154	160	166	169	--	--	--
P3L	146	148	151	155	159	163	161	--
P4L	133	135	139	145	152	151	144	153
P5L	--	125	131	137	140	141	--	--
P3F	146	148	153	159	161	159	160	--
P4F	134	135	140	146	149	151	152	153
P5F	123	125	131	137	140	139	144	143
P4G	126	126	134	139	144	144	--	--
N1L	--	120	125	131	135	135	137	147
N1PO	122	120	124	130	134	138	--	--
N2	--	111	115	122	126	132	133	131

Continued

See footnotes at end of table.

Table 12.—Average prices by weeks for representative grades and season averages—Type 11—Continued

Type 11

Group and grade	Week ending						Season	
	Sep. 23	Sep. 30	Oct. 7	Oct. 14	Oct. 21	Oct. 28 1/	1982	1981
B4L	202	203	202	201	--	--	201	187
B3F	205	205	205	205	204	204	205	189
B4F	203	203	202	202	201	201	203	188
B5F	198	197	194	195	193	195	197	181
B3K	200	198	197	197	194	197	197	181
B4K	194	194	192	192	190	192	193	177
B5K	185	187	185	186	185	184	185	169
B6K	180	178	175	178	178	178	177	160
B3KR	195	194	192	192	192	191	193	182
B4KR	191	189	187	188	188	188	189	176
B5KR	183	181	182	181	185	181	182	168
B3V	194	195	196	190	194	--	194	183
B4V	190	193	185	187	184	186	188	179
B3KL	179	181	177	179	178	177	179	175
B4KL	180	177	176	174	174	175	176	170
B5KL	176	181	168	170	169	--	171	163
B3KF	184	184	179	177	179	179	181	173
B4KF	179	179	176	176	177	178	178	167
B5KF	172	172	173	172	174	176	172	160
B6KF	164	165	164	165	170	166	164	152
B5KV	174	169	171	172	173	171	171	159
B3KM	188	187	186	185	184	184	187	178
B4KM	184	184	185	181	180	183	184	174
B5KM	177	177	177	176	178	177	177	166
B4GK	169	168	169	173	169	173	168	160
B5GK	163	166	166	167	166	169	164	153
H4K	200	198	200	204	201	201	201	181
H5K	194	193	198	196	200	202	196	176
C4L	205	204	203	205	205	205	204	186
C5L	197	196	194	196	195	195	195	181
C4F	205	205	204	202	204	204	205	187
C5F	196	197	195	194	195	194	196	182
C4KR	191	190	189	190	189	190	190	179
C4V	189	--	188	192	190	--	189	178
C4S	195	186	191	187	--	--	187	175
C4KL	180	182	180	180	183	--	181	173
C4KM	188	188	187	185	185	184	187	178
X3L	195	--	--	195	195	187	195	180
X4L	181	179	176	182	174	--	177	173
X5L	--	--	--	--	--	--	163	157
X3F	196	194	195	192	194	194	195	181
X4F	183	183	179	178	177	174	180	175
X5F	169	168	166	166	164	163	165	160
X3V	--	--	--	--	--	--	183	173
X4V	176	--	--	--	--	--	175	167
X3S	--	--	--	--	--	--	176	170
X4KL	--	--	--	--	--	--	163	159
X3KM	180	175	182	--	170	--	175	174
X4KM	174	175	171	165	167	168	168	165
X4GK	170	160	--	--	--	--	159	155
X4G	159	--	--	--	--	--	159	155
P2L	--	--	--	--	--	--	161	167
P3L	--	168	--	--	146	--	152	157
P4L	149	152	--	146	140	142	142	146
P5L	--	--	--	--	136	122	134	130
P3F	162	--	--	--	--	--	154	158
P4F	155	150	144	150	143	137	142	142
P5F	142	136	--	132	128	128	132	126
P4G	--	--	--	--	--	--	135	137
N1L	134	--	133	--	126	119	130	115
N1PO	--	--	--	--	119	--	126	115
N2	117	123	126	128	130	130	126	104

1/ No averages shown after October 28 due to limited sales.

Dashes indicate that less than 20 lots were recorded for the week.

Table 13.—Average prices by weeks for representative grades and season averages—Type 12

Type 12

Group and grade	Week ending						Sep. 9
	July 29	Aug. 5	Aug. 12	Aug. 19	Aug. 26	Sep. 2	
B3L	--	--	--	204	205	204	205
B4L	--	--	--	201	203	202	202
B3F	--	--	205	205	205	205	205
B4F	--	--	203	202	203	203	203
B5F	--	--	--	196	196	198	199
B4K	--	--	--	192	193	198	196
B5K	--	181	--	186	190	191	188
B6K	--	--	--	--	175	177	177
B3KR	--	--	--	--	190	198	196
B4KR	--	184	--	193	190	193	192
B5KR	--	176	--	--	192	189	182
B3V	--	--	193	195	195	197	196
B4V	--	--	189	190	189	189	191
B3S	--	--	183	183	190	188	189
B3KL	--	--	177	186	185	181	182
B4KL	--	176	176	181	179	180	178
B5KL	--	--	--	177	177	180	176
B3KF	--	--	--	186	182	183	181
B4KF	173	177	173	180	179	183	180
B5KF	168	166	166	168	178	183	176
B6KF	--	156	--	--	--	180	165
B3KM	--	184	185	191	190	190	192
B4KM	179	180	182	185	186	189	186
B5KM	173	172	174	180	183	186	183
B4GK	--	--	164	177	177	173	169
B5GK	--	--	158	166	170	169	165
H5K	--	--	--	--	195	195	190
C4L	--	204	204	204	204	204	204
C5L	--	194	195	194	194	194	194
C4F	--	204	204	204	204	204	204
C5F	--	195	196	195	195	194	195
C4KR	--	190	191	190	190	190	191
C4V	--	188	189	189	188	189	187
C4S	185	185	185	186	187	186	185
C4KL	--	179	182	182	180	180	182
C4KM	184	185	186	186	186	185	185
C4GK	--	165	170	169	170	173	--
X3L	194	194	194	194	193	194	--
X4L	173	174	176	175	174	175	176
X5L	158	160	160	161	163	165	--
X3F	195	194	195	194	194	195	195
X4F	175	176	178	177	179	178	177
X5F	161	160	163	163	163	166	169
X3V	179	180	182	180	177	--	--
X4V	172	173	174	175	177	--	--
X3S	174	175	173	175	175	--	--
X4KL	157	159	165	166	163	165	159
X3KM	170	171	177	177	175	178	176
X4KM	162	163	168	171	171	171	171
X4GK	154	155	161	166	170	165	--
X4G	155	153	159	160	163	--	--
P3L	146	150	158	152	--	--	--
P4L	134	140	149	145	148	145	--
P5L	124	132	140	140	--	--	--
P3F	147	153	155	157	--	--	--
P4F	135	141	147	148	146	145	152
P5F	124	133	140	141	139	135	--
P4G	127	135	141	147	--	--	--
N1L	119	123	131	138	137	150	--
N1PO	120	128	137	138	139	--	--
N1XO	131	135	144	149	152	147	--
N2	111	118	125	130	130	131	--

See footnotes at end of table.

Continued

Table 13.—Average prices by weeks for representative grades and season averages—Type 12 —Continued

Type 12

Group and grade	Week ending						Season	
	Sep. 16	Sep. 23	Sep. 30	Oct. 7	Oct. 14	Oct. 21	1982	1981
B3L	204	206	205	205	--	--	205	189
B4L	199	202	201	201	200	--	202	188
B3F	205	205	205	205	204	204	205	189
B4F	203	203	202	202	200	201	203	188
B5F	196	197	195	194	192	198	197	182
B4K	192	193	190	189	188	191	192	178
B5K	187	188	183	182	182	185	186	171
B6K	181	180	177	176	177	178	178	164
B3KR	194	193	196	192	194	195	194	182
B4KR	190	192	189	189	187	191	190	178
B5KR	187	185	183	180	178	182	183	173
B3V	195	194	192	192	--	190	195	184
B4V	188	189	186	184	184	184	188	180
B3S	188	--	182	184	--	180	186	181
B3KL	179	182	178	178	176	176	181	179
B4KL	176	179	175	174	174	174	177	174
B5KL	171	174	171	169	170	172	174	168
B3KF	179	179	179	177	176	179	179	177
B4KF	177	179	176	175	175	175	177	172
B5KF	176	176	172	172	172	173	174	166
B6KF	170	171	170	168	168	171	169	159
B3KM	189	188	186	184	183	183	187	182
B4KM	184	185	182	180	179	179	184	177
B5KM	182	181	177	177	176	176	180	171
B4GK	173	170	173	170	168	171	172	166
B5GK	167	174	168	167	165	169	168	160
H5K	192	196	194	--	187	201	194	177
C4L	204	204	203	203	204	204	204	186
C5L	193	194	194	195	194	194	194	180
C4F	204	203	204	204	204	204	204	187
C5F	194	195	194	194	194	193	194	181
C4KR	190	190	190	190	188	188	190	180
C4V	188	188	189	190	188	187	188	177
C4S	189	189	189	190	182	187	186	177
C4KL	180	178	179	181	180	179	181	173
C4KM	186	186	185	184	184	183	185	176
C4GK	165	--	170	160	168	165	169	164
X3L	193	194	--	194	194	188	194	179
X4L	176	174	173	173	175	172	175	170
X5L	--	--	--	159	--	159	160	158
X3F	191	195	--	194	194	192	194	179
X4F	177	176	175	175	175	173	177	172
X5F	165	169	159	160	162	159	162	160
X3V	--	--	--	--	--	--	180	174
X4V	--	--	--	--	--	173	173	166
X3S	--	--	--	--	--	--	174	172
X4KL	--	--	--	160	--	--	162	164
X3KM	175	172	175	170	171	170	174	171
X4KM	170	169	167	165	166	162	166	164
X4GK	--	--	--	--	--	161	161	155
X4G	--	--	--	--	--	--	157	155
P3L	--	--	--	146	--	--	148	161
P4L	--	--	142	147	144	141	138	151
P5L	--	--	--	--	--	126	129	137
P3F	--	--	--	--	148	150	150	162
P4F	145	--	140	140	148	144	140	150
P5F	--	--	--	143	135	132	131	137
P4G	--	--	--	--	--	--	132	143
N1L	--	139	--	--	129	131	126	126
N1PO	--	--	--	123	125	122	127	133
N1XO	--	--	--	139	133	128	140	143
N2	132	125	131	132	129	117	123	121

1/ No averages shown after week of October 21 due to limited sales.
 Dashes indicate that less than 20 lots were recorded for the week.

Table 14.--Average prices by weeks for representative grades and season averages--Type 13

Type 13

Group and grade	Week ending					
	July 29	Aug. 5	Aug. 12	Aug. 19	Aug. 26	Sep. 2
B4L	--	--	202	201	202	202
B3F	--	--	--	204	205	204
B4F	--	201	200	202	203	202
B5F	--	--	192	196	197	198
B4K	--	--	187	189	194	193
B5K	--	--	183	184	189	189
B6K	--	--	--	--	183	180
B3KR	--	--	--	196	198	196
B4KR	--	--	--	193	193	192
B3V	--	191	191	194	197	195
B4V	--	184	185	190	193	190
B3KL	--	--	177	180	185	182
B4KL	--	173	174	178	183	180
B5KL	--	166	167	172	176	172
B3KF	--	--	176	180	187	186
B4KF	--	171	173	177	181	181
B5KF	--	--	168	171	175	179
B6KF	--	--	--	167	166	168
B4KV	--	--	177	182	186	182
B5KV	--	--	--	180	183	176
B3KM	--	182	184	189	192	192
B4KM	--	179	180	186	191	189
B5KM	172	172	176	181	187	185
B4G	--	167	168	172	179	170
B4GK	155	161	164	170	174	172
B5GK	155	156	162	163	171	169
C4L	--	204	204	204	205	204
C5L	194	194	194	196	196	197
C4F	--	204	204	204	204	205
C5F	194	194	196	197	197	195
C4V	187	188	188	193	192	188
C4S	184	184	185	190	190	--
C4KL	179	179	179	181	186	181
C4KM	184	185	185	187	190	188
C4GK	163	164	167	168	173	173
X3L	194	194	193	194	195	--
X4L	176	174	175	179	179	175
X5L	158	159	160	163	165	166
X3F	194	194	194	193	197	186
X4F	174	175	177	181	185	178
X5F	158	159	163	167	170	163
X3V	179	180	181	185	183	--
X4V	173	172	174	176	180	170
X3S	174	174	174	182	--	--
X4KL	157	157	160	166	163	164
X3KM	168	172	174	178	181	174
X4KM	162	165	168	171	175	172
X4GK	153	156	160	162	163	160
X4G	153	157	159	163	166	160
P2L	152	156	--	--	--	--
P3L	146	152	151	154	--	--
P4L	134	139	143	146	--	146
P5L	124	132	134	--	--	--
P3F	147	152	149	156	--	--
P4F	135	142	146	162	155	150
P5F	124	131	136	161	150	145
P4G	128	135	138	143	--	--
N1K	--	--	--	--	--	--
N1PO	119	125	129	142	132	138
N1XO	124	133	139	148	151	145
N1BO	--	--	143	158	162	161
N2	111	113	--	118	125	133

Continued

See footnotes at end of table.

Table 14.—Average prices by weeks for representative grades and season averages—Type 13 —Continued

Type 13

Group and grade	Week ending					Season	
	Sep. 9	Sep. 16	Sep. 23	Sep. 30	Oct. 1/	1982	1981
B4L	202	201	201	--	--	202	187
B3F	205	205	--	--	--	204	190
B4F	203	201	202	201	--	202	188
B5F	197	197	196	193	195	196	185
B4K	191	189	191	188	188	190	181
B5K	186	183	183	183	182	184	173
B6K	175	174	174	176	174	175	164
B3KR	193	200	193	193	196	196	181
B4KR	190	187	192	190	185	190	181
B3V	191	192	191	191	--	193	183
B4V	188	186	185	185	183	188	181
B3KL	176	177	179	177	180	180	180
B4KL	175	174	174	174	173	177	174
B5KL	170	169	170	170	167	171	168
B3KF	176	177	180	176	175	181	176
B4KF	177	175	176	175	173	176	171
B5KF	171	172	172	171	169	172	163
B6KF	162	165	165	165	163	164	154
B4KV	179	177	178	181	176	180	170
B5KV	175	176	173	175	170	175	163
B3KM	187	188	185	185	183	188	182
B4KM	184	182	182	181	179	184	178
B5KM	178	176	177	177	176	179	172
B4G	170	169	169	171	--	171	168
B4GK	169	168	169	167	163	168	166
B5GK	163	164	165	168	163	165	160
C4L	--	--	--	--	--	204	187
C5L	194	197	194	193	195	195	182
C4F	204	203	204	204	--	204	187
C5F	195	195	194	194	194	196	182
C4V	189	189	189	188	--	189	179
C4S	--	--	--	184	--	185	--
C4KL	182	184	181	180	--	181	177
C4KM	185	184	185	184	184	186	177
C4GK	--	--	--	--	--	166	168
X3L	--	178	--	--	--	193	180
X4L	176	173	175	172	173	176	172
X5L	--	--	--	162	156	160	159
X3F	--	186	194	--	194	194	181
X4F	175	176	174	174	174	177	174
X5F	164	160	160	162	160	163	161
X3V	--	--	--	--	--	181	174
X4V	--	171	--	173	--	173	167
X3S	--	--	--	--	--	175	--
X4KL	159	--	--	--	--	160	166
X3KM	175	166	174	174	174	172	172
X4KM	169	158	166	166	164	166	166
X4GK	--	157	163	--	--	157	156
X4G	--	--	--	--	--	158	158
P2L	--	--	--	--	--	153	174
P3L	--	--	--	--	--	148	163
P4L	--	--	--	--	144	137	154
P5L	--	--	--	--	--	129	143
P3F	--	--	--	--	--	148	161
P4F	141	--	138	140	143	140	149
P5F	--	130	135	133	130	129	137
P4G	--	--	--	--	--	131	145
N1K	147	155	162	159	161	159	146
N1PO	--	--	--	134	126	124	130
N1XO	149	141	137	137	135	139	143
N1BO	164	157	162	163	161	160	152
N2	131	128	121	125	125	121	120

1/ No averages shown after week of October 7 due to limited sales.
 Dashes indicate that less than 20 lots were recorded for the week.

Table 15.—Average prices by weeks for representative grades and season averages—Type 14

Type 14

Group and grade	Week ending										Season	
	July 23	July 30	Aug. 5	Aug. 12	Aug. 19	Aug. 26	Sep. 2	Sep. 9	Sep. 16	Sep. 24	1982	1981
B4F	--	203	204	204	205	204	204	205	198	203	204	189
B5F	--	200	201	203	203	201	201	202	200	198	202	186
B4K	--	188	196	203	203	199	196	197	194	187	196	182
B5K	--	184	194	199	198	194	192	190	186	181	191	175
B6K	--	--	192	192	187	188	183	179	179	175	182	165
B3KR	--	--	201	194	200	191	--	--	--	--	198	186
B4KR	--	192	197	198	203	199	199	196	193	186	198	182
B5KR	--	192	186	200	199	197	195	191	187	181	193	175
B4V	--	188	190	196	200	200	199	--	--	--	195	186
B5V	--	190	187	192	192	192	191	175	--	--	189	178
B3KL	--	--	189	195	--	191	--	--	--	--	190	183
B4KL	--	180	182	188	192	189	188	187	175	174	185	184
B5KL	--	173	179	182	191	175	182	177	170	173	178	174
B4KF	171	181	180	192	194	189	187	188	181	177	187	176
B5KF	--	172	175	178	187	182	178	181	175	175	178	166
B6KF	--	--	164	174	176	165	168	174	166	169	168	152
B5KV	--	--	171	181	183	180	179	178	173	174	178	164
B6KV	--	--	174	170	174	166	168	167	168	167	169	151
B3KM	--	185	191	194	200	196	196	199	--	185	194	186
B4KM	184	183	189	198	200	197	193	193	187	183	193	182
B5KM	174	178	184	189	194	192	189	185	182	179	187	175
B6KM	161	162	172	184	182	185	185	181	176	174	177	165
B4GK	165	164	170	185	183	181	186	166	173	170	176	168
B5GK	154	157	166	176	176	169	175	167	169	170	169	160
B6GK	143	146	158	182	176	160	161	163	166	164	162	148
H5F	--	--	--	205	205	205	205	205	204	--	205	189
H5K	--	--	205	205	203	203	202	203	196	186	200	185
H6K	--	--	--	--	201	201	193	197	182	177	188	172
C5L	195	197	199	194	204	--	--	--	--	--	198	185
C4F	204	203	205	204	205	205	--	--	--	--	204	189
C5F	195	196	200	201	201	200	199	--	194	--	199	185
C4V	189	188	191	196	200	194	--	--	--	--	191	185
C4KM	186	188	191	194	198	190	198	--	184	187	191	183
C4GK	--	165	174	180	186	--	--	--	--	--	173	172
X3L	194	194	196	--	--	--	--	--	--	--	195	183
X4L	175	183	183	189	189	181	--	--	--	--	182	176
X3F	194	195	199	195	--	--	--	--	--	--	196	184
X4F	175	181	186	192	185	185	188	--	177	--	183	177
X5F	161	168	172	177	180	184	177	--	170	--	172	165
X3V	180	183	183	--	--	--	--	--	--	--	182	180
X4V	175	175	177	182	181	186	--	--	--	--	177	172
X4KL	158	165	168	--	--	--	--	--	--	--	165	172
X3KM	172	176	182	180	186	--	--	--	--	--	176	177
X4KM	165	170	176	183	189	174	176	171	168	170	173	171
X4GK	154	160	164	169	178	160	--	--	152	--	160	162
X4G	154	159	162	175	--	--	--	--	--	--	161	163
P3L	151	156	167	--	--	--	--	--	--	--	153	169
P4L	141	146	154	150	--	142	--	--	143	--	144	158
P5L	126	130	138	--	--	--	--	--	--	--	130	144
P3F	150	160	171	--	--	--	--	--	--	--	155	168
P4F	141	149	154	152	161	148	149	--	146	143	146	156
P5F	132	134	146	138	148	--	139	--	137	135	135	141
P4G	138	139	144	--	--	--	--	--	--	--	139	149
P5G	127	130	133	--	--	--	--	--	--	--	130	136
N1L	125	127	139	136	--	--	143	--	138	134	132	130
N1K	--	--	--	174	161	163	163	162	166	163	164	143
N1GL	127	124	135	146	--	--	--	--	--	127	131	129
N1KV	--	--	--	--	159	165	147	--	165	166	162	135
N1PO	126	131	130	--	--	--	--	--	--	127	129	135
N1XO	132	146	147	168	163	172	--	--	--	--	150	153
N1BO	--	156	162	170	165	171	164	161	158	161	164	147
N2	118	119	140	135	131	150	137	138	144	132	137	117

Dashes indicate that less than 20 lots were recorded for the week.

Table 16.—Warehouse charges by states, 1982 crop

State	Type	Auction fee <u>1/</u>	Commission on gross sales <u>1/</u>	Additional charges
			<u>Percent</u>	
Florida	14	15 cents on all piles	2-1/2	Weighing and handling 10 cents per pile on all piles of 100 pounds or less
Georgia	14	of 100 pounds or less	2-1/2	and 25 cents on all
North Carolina	11-13	and 25 cents on all	2-1/2	100 pounds, and
South Carolina	13	piles over 100 pounds	2-1/2	10 cents for each additional 100 pounds.
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

1/ Maximum permitted under State law.

Table 17.—Average weight per lot, 1977–82 crops

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>
1977	178	175	174	184	177
1978	180	182	183	188	182
1979	185	183	181	186	184
1980	179	178	181	185	180
1981	184	184	182	187	184
1982	188	185	186	192	187

Table 18.—Tobacco received by the Stabilization Corporation, 1980–82 crops

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>
1980	45,205	15.0	45,861	10.8	30,025	13.4
1981	48,433	12.5	33,809	9.2	12,190	5.0
1982	67,166	22.9	123,016	34.2	54,598	26.2

Crop Type 14 Types 11-14

	Type 14		Types 11-14	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>
1980	16,138	12.2	137,229	12.7
1981	11,431	8.0	105,863	9.3
1982	14,085	11.2	258,865	26.2

Table 19.—Percentage distribution by groups and types, 1978–82 crops

Crop year	Type 11								
	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1978	--	56.3	2.8	11.5	14.1	8.6	--	5.6	1.1
1979	--	58.3	2.7	9.2	15.4	9.8	--	3.7	.9
1980	--	51.7	1.4	9.7	17.7	9.7	--	9.4	.4
1981	--	57.5	1.9	7.7	17.1	10.6	--	4.8	.4
1982	--	59.2	.8	12.6	14.1	10.7	--	2.1	.5
Type 12									
1978	--	59.1	0.8	10.3	14.3	8.7	0.1	5.8	0.9
1979	--	58.7	.6	10.8	16.9	7.9	--	4.5	.6
1980	--	55.5	.2	8.3	17.4	6.9	--	11.2	.5
1981	--	60.7	.4	10.0	16.7	8.2	--	3.7	.3
1982	--	55.8	.5	18.6	15.5	7.1	--	2.1	.4
Type 13									
1978	--	61.1	0.9	8.7	15.4	8.4	--	4.5	1.0
1979	--	59.8	.5	10.9	18.6	5.7	--	3.5	1.0
1980	--	50.0	.4	5.1	21.6	7.6	0.2	13.7	1.4
1981	--	55.0	.3	7.9	17.7	11.3	--	6.6	1.2
1982	--	55.7	.5	11.8	17.1	9.5	--	4.2	1.2
Type 14									
1978	--	55.0	1.6	8.4	14.2	8.4	--	9.9	2.5
1979	--	56.2	2.0	5.4	15.8	11.9	--	6.5	2.2
1980	--	54.2	.9	6.9	13.6	9.8	0.2	12.0	2.4
1981	--	58.3	.8	5.5	12.4	8.3	--	12.4	2.3
1982	--	57.6	1.5	6.2	15.4	11.5	--	4.8	3.0

Dashes indicate a percentage of less than 0.1.

Table 20.—Percentage distribution by qualities and types, 1978–82 crops

Crop year	Type 11							
	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1978	0.1	0.8	12.9	52.6	24.4	2.5	5.6	1.1
1979	--	.8	14.3	56.9	21.1	2.3	3.7	.9
1980	--	.2	6.5	46.2	30.8	6.5	9.4	.4
1981	--	.3	9.5	53.2	28.0	3.8	4.8	.4
1982	--	.5	17.0	59.3	19.6	1.0	2.1	.5
Type 12								
1978	0.1	0.6	16.2	51.4	22.1	2.9	5.8	0.9
1979	--	.3	13.7	56.7	21.4	2.8	4.5	.6
1980	--	.2	6.4	42.0	29.5	10.2	11.2	.5
1981	--	.4	12.5	54.2	25.8	3.1	3.7	.3
1982	--	.2	16.0	60.3	20.1	.9	2.1	.4
Type 13								
1978	--	0.3	10.9	51.1	29.4	2.8	4.5	1.0
1979	--	.3	15.5	57.6	21.0	1.1	3.5	1.0
1980	--	--	4.5	39.4	30.3	10.7	13.7	1.4
1981	--	.1	6.2	49.5	31.5	4.9	6.6	1.2
1982	--	.6	12.0	58.0	22.2	1.8	4.2	1.2
Type 14								
1978	--	0.2	8.5	43.7	27.9	7.3	9.9	2.5
1979	--	.5	11.0	47.1	28.9	3.8	6.5	2.2
1980	--	.1	4.7	38.2	32.3	10.3	12.0	2.4
1981	0.1	.2	4.8	39.1	32.3	8.8	12.4	2.3
1982	--	.2	9.4	49.2	28.2	5.2	4.8	3.0

Dashes indicate a percentage of less than 0.1.

Table 21.—Percentage distribution by colors and types, 1978–82 crops

Crop year	Type 11										
	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1978	12.2	29.3	0.6	--	14.2	27.2	4.0	0.3	5.5	5.6	1.1
1979	10.2	32.0	1.1	0.1	16.2	26.5	4.2	--	5.1	3.7	.9
1980	9.2	25.5	--	--	9.6	33.1	4.9	--	7.9	9.4	.4
1981	8.8	22.9	.1	--	14.6	36.9	3.8	.2	7.5	4.8	.4
1982	9.9	25.1	.4	--	18.6	36.2	3.1	1.0	3.1	2.1	.5
Type 12											
1978	9.9	20.8	0.6	--	7.1	42.7	3.4	0.4	8.4	5.8	.9
1979	8.5	20.3	1.0	--	8.2	45.1	3.1	.2	8.5	4.5	.6
1980	6.5	15.5	.2	--	4.9	45.1	3.6	--	12.5	11.2	.5
1981	8.4	16.7	.2	--	8.0	49.7	3.7	.8	8.5	3.7	.3
1982	12.5	17.3	.4	--	12.5	47.2	3.0	1.4	3.2	2.1	.4
Type 13											
1978	10.1	27.7	0.1	--	10.3	33.1	5.6	0.2	7.4	4.5	1.0
1979	8.9	29.5	.2	--	8.9	35.1	6.9	.3	5.7	3.5	1.0
1980	5.0	15.9	--	--	9.1	38.4	4.1	--	12.4	13.7	1.4
1981	7.0	19.6	--	--	10.1	39.3	5.2	--	11.0	6.6	1.2
1982	9.2	16.3	.1	--	10.3	48.0	4.1	1.1	5.5	4.2	1.2
Type 14											
1978	6.8	20.2	0.1	--	12.8	32.0	5.2	0.1	10.4	9.9	2.5
1979	7.5	29.4	.1	--	16.5	26.8	3.0	.1	7.9	6.5	2.2
1980	7.3	14.1	--	--	11.2	37.5	2.9	.3	12.3	12.0	2.4
1981	3.6	18.8	--	--	11.4	36.1	3.3	--	12.1	12.4	2.3
1982	7.4	18.4	--	--	14.5	42.0	2.5	.1	7.3	4.8	3.0

Dashes indicate a percentage of less than 0.1.

Table 22.—Percentage distribution by groups, qualities, and colors for types 11–14, 1978–82 crops

Crop year	Group										
	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.		
1978	--	58.2	1.6	10.1	14.4	8.5	--	6.0	1.2		
1979	--	58.5	1.4	9.7	16.6	8.5	--	4.3	1.0		
1980	--	53.1	.7	7.9	17.9	8.2	--	11.3	.9		
1981	--	58.1	.9	8.2	16.5	9.7	--	5.8	.8		
1982	--	56.9	.8	13.7	15.4	9.3	--	2.9	1.0		
Quality											
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.			
1978	--	0.5	13.1	50.7	25.1	3.4	6.0	1.2			
1979	--	.5	14.0	55.6	22.1	2.5	4.3	1.0			
1980	--	.2	5.8	42.2	30.3	9.3	11.3	.9			
1981	--	.3	9.0	51.0	28.6	4.5	5.8	.8			
1982	--	.4	14.5	58.0	21.5	1.7	2.9	1.0			
Crop year	Color										
	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1978	10.2	24.8	0.5	--	10.6	34.6	4.3	0.3	7.5	6.0	1.2
1979	8.9	27.1	.8	0.1	12.1	34.6	4.3	.2	6.6	4.3	1.0
1980	7.0	18.2	.1	--	7.8	39.5	4.0	.1	11.1	11.3	.9
1981	7.6	19.7	.1	--	11.0	41.5	4.0	.3	9.2	5.8	.8
1982	10.4	19.5	.2	--	14.0	43.6	3.2	1.0	4.2	2.9	1.0

Dashes indicate a percentage of less than 0.1.

Table 23.—Percentage distribution by grades and types, 1982 crop

Group and grade	1982 crop				Group and grade	1982 crop			
	11	12	13	14		11	12	13	14
Wrappers:					Smoking leaf:				
All	--	--	--	--	H3L	--	.009	.001	.004
A1F	--	--	--	--	H4L	.008	.015	.005	.009
Total	--	--	--	--	H5L	.001	.008	.002	.029
Leaf:					H6L	--	--	--	--
B1L	0.002	--	--	0.011	H1F	--	--	--	--
B2L	.020	.009	.002	.001	H2F	.004	--	.001	.001
B3L	.092	.217	.056	.034	H3F	.005	.008	.007	.018
B4L	.367	.454	.204	.193	H4F	.161	.140	.040	.128
B5L	.063	.159	.049	.157	H5F	.103	.044	.082	.244
B6L	.002	--	.001	.001	H6F	.004	--	.001	.017
B1F	.004	.017	--	--	H4FR	.008	.011	--	--
B2F	.037	.054	.005	--	H5FR	.021	.005	.001	.004
B3F	.830	.679	.272	.117	H6FR	.010	--	.003	--
B4F	5.522	3.902	2.044	2.671	H4K	.215	.106	.102	.071
B5F	2.774	2.116	2.090	3.774	H5K	.227	.183	.173	.656
B6F	.005	.031	.033	.113	H6K	.063	.033	.076	.325
B1FR	--	--	--	--	Total H	.830	.562	.494	1.507
B2FR	--	--	--	--	Cutters:				
B3FR	.006	.005	.002	--	C1L	.001	--	--	--
B4FR	.197	.132	.021	.011	C2L	.001	.009	--	--
B5FR	.120	.104	.057	.014	C3L	.029	.067	.024	.005
B6FR	.001	.004	--	--	C4L	.754	1.239	.759	.216
B4R	.010	--	--	--	C5L	1.286	2.493	1.198	.365
B5R	.005	.003	--	.002	C1F	--	--	--	--
B3K	.718	.163	.116	.050	C2F	.001	.006	--	--
B4K	8.642	4.127	3.856	3.263	C3F	.051	.092	.030	.032
B5K	3.293	2.985	3.752	5.509	C4F	1.554	1.090	.663	.492
B6K	.345	.351	.702	1.887	C5F	3.001	2.323	1.903	1.123
B3KR	.739	.781	.233	.210	C4KR	.891	.693	.196	.070
B4KR	2.760	2.407	.795	1.365	C4V	.673	1.040	.909	.432
B5KR	.372	.573	.200	.954	C4S	.605	.640	.337	.026
B3V	.273	.324	.349	.115	C4KL	.421	.745	.541	.188
B4V	.681	.472	1.224	.603	C4KM	3.097	7.670	4.557	2.846
B5V	.096	.094	.199	.231	C4G	.062	.077	.153	.099
B3S	.068	.179	.158	.022	C4GK	.177	.368	.517	.290
B4S	.059	.079	.106	.033	Total C	12.604	18.552	11.787	6.184
B5S	.001	.001	.012	.001	Lugs:				
B3KL	.793	.672	.456	.210	X1L	.004	.003	.002	--
B4KL	1.224	1.317	2.510	1.705	X2L	.040	.021	.051	--
B5KL	.242	.245	.602	.641	X3L	.657	1.208	.682	.791
B6KL	.019	.010	.040	.092	X4L	1.413	2.296	1.454	.981
B3KF	2.201	1.039	.798	.113	X5L	.248	.580	.446	.144
B4KF	8.022	6.058	6.910	4.113	X1F	.002	.007	.009	--
B5KF	2.906	2.631	3.230	4.438	X2F	.047	.029	.015	--
B6KF	.319	.281	.408	1.267	X3F	1.428	.755	.595	.678
B4KV	.195	.114	.370	.116	X4F	3.308	2.321	2.621	2.378
B5KV	.271	.166	.691	.544	X5F	1.115	.906	1.330	.994
B6KV	.080	.022	.156	.349	X3KR	.125	.093	.038	.024
B3KM	3.809	5.654	2.648	1.574	X4KR	.178	.114	.081	.069
B4KM	8.041	12.864	14.007	12.042	X3V	.603	.436	.521	.426
B5KM	1.321	2.698	3.536	4.973	X4V	.752	.597	.931	.685
B6KM	.063	.106	.188	.703	X3S	.287	.500	.496	.054
B4G	.077	.078	.224	.082	X4KL	.287	.342	.519	.482
B5G	.026	.037	.073	.084	X4KF	.160	.051	.065	.072
B6G	.003	.004	.007	.002	X4KV	.150	.129	.179	.094
B5GR	.013	.001	.001	.001	X3KM	1.012	1.376	1.706	2.172
B4GK	.704	.653	1.225	1.287	X4KM	1.611	3.003	3.853	3.233
B5GK	.519	.524	.885	1.441	X4GK	.367	.422	.870	1.329
B6GK	.113	.091	.147	.416	X4G	.228	.231	.395	.477
B5GG	.062	.066	.038	.061	X5G	.127	.105	.208	.258
Total B	59.127	55.753	55.688	57.596	Total X	14.149	15.525	17.067	15.341

Continued

Table 23.—Percentage distribution by grades and types, 1982 crop—Continued

Group and grade	1982 crop				Group and grade	1982 crop			
	11	12	13	14		11	12	13	14
Primings:									
P2L	.270	.048	.426	.134	N1L	.353	.252	.252	.377
P2L sand	--	--	.001	.002	N1L sand	.004	--	.001	.001
P3L	1.954	1.254	1.671	1.584	N1XL	.180	.128	.185	.184
P3L sand	.018	.005	.005	.014	N1K	.106	.085	.234	.663
P4L	2.213	2.143	1.785	2.347	N1R	.025	.012	.015	.029
P4L sand	.054	.009	.004	.021	N1GL	.091	.150	.197	.339
P5L	.416	.360	.334	.322	N1GL sand	.003	--	--	.001
P5L sand	.020	.002	--	--	N1GF	.036	.014	.042	.081
P2F	.095	.003	.107	.103	N1KV	.045	.025	.086	.210
P2F sand	--	--	--	--	N1GR	.021	.009	.010	.028
P3F	1.298	.406	1.144	1.122	N1GG	.006	.009	.009	.024
P3F sand	.010	.001	--	.021	N1PO	.410	.529	1.200	.587
P4F	2.857	1.766	2.398	3.403	N1PO sand	.002	--	--	.004
P4F sand	.052	.008	.028	.107	N1XO	.113	.331	1.068	.348
P5F	.788	.571	.881	.824	N1BO	.057	.079	.296	.845
P5F sand	.017	.002	.005	.024	N2	.623	.474	.585	1.122
P4G	.484	.379	.544	1.100	Total N	2.075	2.097	4.180	4.843
P4G sand	.020	--	--	.025	No grade	.184	.277	.656	1.237
P5G	.156	.141	.192	.344	NOGF sand	.001	--	--	.019
P5G sand	.006	--	.002	.007	W - unsafe	.019	.013	.042	.033
Total P	10.728	7.098	9.527	11.504	U - unsound	.281	.093	.542	1.703
Mixed:					S - scrap	--	.007	.001	.003
M4F	--	--	.002	.001					
M5F	.001	.005	--	.007					
M4KR	--	--	--	--					
M4KM	.001	.009	.011	--					
M5KM	--	.008	.003	.003					
M4GK	--	--	--	.019					
M5GK	--	.001	--	--					
Total M	.002	.023	.016	.030	Grand total	100.000	100.000	100.000	100.000

Dashes indicate a percentage of less than 0.001.

Table 24.—Breakdown of marketings by selected groupings, 1982 crop

Grouping	Types				
	11	12	13	14	11-14
Straight grades (mature to mellow)	57.031	45.726	40.005	42.734	47.364
Variegated (KL,KF,KV,KM)	36.245	47.210	47.984	41.970	43.508
Slick (S grades)	1.020	1.399	1.109	.136	1.063
Green (includes rank)	3.144	3.178	5.481	7.322	4.214
Nondescript	2.075	2.097	4.180	4.843	2.903
No grade 1/	.485	.390	1.241	2.995	.948
Total:	100.000	100.000	100.000	100.000	100.000

1/ Includes tobacco defined as decayed, botched, off-type, and nested; also unsafe keeping order and unsound. Also includes grade NOGF.

Table 25.—Percentage distribution by grades for all types, 1980-82 crops

Group and grade	Crop of:			Group and grade	Crop of:		
	1980	1981	1982		1980	1981	1982
Wrappers:				B4G	.0185	0.171	0.110
All	--	--	--	B5G	.193	.110	.048
AlF	--	--	--	B6G	.030	.015	.004
Total A	--	--	--	Total BG	.408	.296	.162
Leaf:				B5GR	.016	.009	.004
B1L	0.004	0.004	0.002	B4GK	1.167	1.530	.874
B2L	.017	.015	.010	B5GK	2.430	1.993	.724
B3L	.173	.180	.122	B6GK	1.790	.611	.154
B4L	.319	.337	.340	Total BGK	5.387	4.134	1.752
B5L	.076	.094	.107	B5GG	.032	.054	.058
B6L	.001	.004	.001	Total B	53.141	58.135	56.963
Total BL	.590	.634	.582	Smoking leaf:			
B1F	.005	.015	.007	H3L	.011	.014	.004
B2F	.041	.062	.031	H4L	.026	.014	.010
B3F	.677	.850	.560	H5L	.006	.006	.007
B4F	3.197	4.003	3.806	H6L	.001	--	--
B5F	1.451	2.070	2.521	Total HL	.044	.034	.021
B6F	.041	.048	.035	H1F	--	.002	--
Total BF	5.412	7.048	6.960	H2F	.006	.002	.002
B1FR	--	--	--	H3F	.038	.031	.008
B2FR	--	--	--	H4F	.190	.118	.123
B3FR	.004	.006	.004	H5F	.099	.124	.096
B4FR	.067	.060	.111	H6F	.005	.004	.004
B5FR	.043	.052	.087	Total HF	.338	.281	.233
B6FR	.004	.002	.002	H4FR	--	--	.006
Total BFR	.118	.120	.204	H5FR	--	.006	.009
B4R	--	--	.003	H6FR	--	.002	.003
B5R	.007	.009	.003	Total HFR	--	.008	.018
Total BR	.007	.009	.006	H4K	.082	.170	.132
B3K	.087	.170	.298	H5K	.132	.256	.257
B4K	2.744	3.876	5.260	H6K	.060	.092	.090
B5K	3.195	4.131	3.575	Total HK	.274	.518	.479
B6K	1.135	.997	.629	Total H	.656	.841	.751
Total BK	7.161	9.174	9.762	Cutters:			
B3KR	.020	.123	.575	C1L	.001	.002	--
B4KR	.132	.658	2.023	C2L	.008	.009	.004
B5KR	.092	.296	.485	C3L	.104	.065	.039
Total BKR	.244	1.077	3.083	C4L	.687	.635	.859
B3V	.176	.220	.287	C5L	.661	.684	1.581
B4V	1.173	.989	.712	Total CL	1.461	1.395	2.483
B5V	.350	.294	.135	C1F	--	.001	--
Total BV	1.699	1.503	1.134	C2F	.006	.007	.002
B3S	.014	.062	.122	C3F	.102	.075	.059
B4S	.010	.039	.073	C4F	1.019	.897	1.053
B5S	--	.003	.004	C5F	1.357	1.370	2.269
Total BS	.024	.104	.199	Total CF	2.484	2.350	3.383
B3KL	.086	.304	.599	C4KR	.063	.141	.560
B4KL	.465	.975	1.599	C4V	.616	.670	.825
B5KL	.213	.351	.374	C4S	.037	.128	.483
B6KL	.032	.036	.030	C4KL	.118	.292	.533
Total BKL	.796	1.666	2.602	C4KM	2.519	2.648	5.033
B3KF	.287	.581	1.200	C4G	.131	.121	.092
B4KF	4.216	5.909	6.552	C4GK	.432	.458	.334
B5KF	6.968	6.493	3.080	Total C	7.861	8.203	13.726
B6KF	3.394	1.618	.451	Lugs:			
Total BKF	14.865	14.601	11.283	X1L	.003	.010	.003
B4KV	.956	.445	.193	X2L	.040	.046	.030
B5KV	3.102	1.154	.360	X3L	.604	.740	.879
B6KV	2.324	.652	.111	X4L	1.257	1.216	1.684
Total BKV	6.382	2.251	.664	X5L	.501	.358	.397
B3KM	.836	1.788	3.929	Total XL	2.405	2.370	2.993
B4KM	5.418	9.112	11.605	X1F	.007	.008	.005
B5KM	3.280	4.170	2.783	X2F	.024	.040	.027
B6KM	.466	.385	.191	X3F	.718	.791	.905
Total BKM	10.000	15.455	18.508	X4F	2.926	2.724	2.679

Continued

Table 25.—Percentage distribution by grades for all types, 1980–82 crops—Continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1980	1981	1982		1980	1981	1982
X5F	2.272	1.588	1.070	P4G	0.888	1.094	.542
Total XF	5.947	5.151	4.686	P4G sand	.012	.015	.009
X3KR	.027	.043	.081	P5G	.767	.584	.184
X4KR	.055	.091	.119	P5G sand	.013	.010	.004
Total XKR	.082	.134	.200	Total PG	1.680	1.703	.739
X3V	.383	.604	.501	Total P	8.168	9.671	9.261
X4V	1.253	1.246	.725	Mixed:			
Total XV	1.636	1.850	1.226	M4F	.003	.001	--
X3S	.024	.095	.378	M5F	.006	.005	.003
X4KL	.082	.202	.383	Total MF	.009	.006	.003
X4KF	.160	.176	.088	M4KR	--	--	--
X4KV	1.263	.549	.141	M4KM	.008	.007	.006
X3KM	.635	.961	1.448	M5KM	.021	.018	.004
X4KM	2.621	2.634	2.814	Total MKM	.029	.025	.010
Total XKM	3.256	3.595	4.262	M4GK	.006	.012	.003
X4GK	1.287	1.212	.623	M5GK	.005	.011	--
X4G	.669	.612	.298	Total MGK	.011	.023	.003
X5G	1.050	.540	.154	Total M	.049	.054	.016
Total XG	1.719	1.152	.452	Nondescript:			
Total X	17.861	16.486	15.432	N1L	.852	.683	.298
Primings:				N1L sand	.021	.015	.001
P2L	.037	.100	.205	N1XL	.549	.340	.163
P2L sand	--	--	--	N1K	.783	.421	.200
P3L	.535	.901	1.591	N1R	.239	.054	.019
P3L sand	.009	.005	.010	N1GL	1.402	.751	.168
P4L	1.389	1.708	2.113	N1GL sand	.014	.007	.001
P4L sand	.053	.030	.023	N1GF	.479	.160	.035
P5L	.461	.416	.366	N1KV	1.685	.464	.068
P5L sand	.019	.009	.006	N1GR	.817	.097	.015
Total PL	2.503	3.169	4.314	N1GG	.018	.023	.010
P2F	.005	.018	.065	N1PO	.433	.369	.647
P2F sand	--	.006	--	N1PO sand	.011	.006	.001
P3F	.238	.526	.919	N1XO	.265	.198	.429
P3F sand	.005	.007	.006	N1BO	.684	.571	.221
P4F	2.181	2.893	2.436	N2	3.076	1.656	.627
P4F sand	.063	.032	.038	Total N	11.328	5.815	2.903
P5F	1.446	1.298	.734	No grade 1/	.936	.795	.948
P5F sand	.047	.019	.010	Grand total	100.000	100.000	100.000
Total PF	3.985	4.799	4.208				

1/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also, includes grade NOGF sand, which totaled 0.003 percent in 1982.
Dashes indicate a percentage of less than 0.001.

Table 26.—Average price by grade groups and types

Type	1982 crop							1981 crop						
	Group							Group						
	B	H	C	X	P	M	N	B	H	C	X	P	M	N
11	186	199	193	177	144	153	133	171	181	180	167	141	148	119
12	186	198	190	173	139	169	132	174	183	178	167	149	160	134
13	182	193	190	171	140	166	134	172	183	180	167	148	150	134
14	189	199	193	176	145	166	149	175	186	183	168	150	162	129
11-14	185	198	191	174	142	168	137	173	182	180	167	146	156	128

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
WASHINGTON, DC 20250



POSTAGE & FEES PAID
United States Department of Agriculture
AGR 101

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
FCR

THIRD CLASS